



**Ekiti Central Senatorial District
Ado-Ekiti Local Government Area**

Local Government Area: Ado-Ekiti

Location: Paradise Area

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	11		11	445,500	-	445,500
2	8.53m Reinforced Concrete Pole (LT)	No.	4		4	135,000	-	135,000
3	100mm ² AAC Aluminium Conductor	m	1,200		1,200	421,200	-	421,200
4	70mm ² AAC Aluminium Conductor	m	720		720	165,240	-	165,240
5	Line Earthing	No.	5		5	101,250	-	101,250
6	11KV Pot Insulator	No.	15		15	44,550	-	44,550
7	D-Iron complete with Shackle Insulator	Set	12		12	9,720	-	9,720
8	HT Stay Assembly	Set	8		8	75,600	-	75,600
9	LT Stay Assembly	Set	2		2	18,900	-	18,900
10	Galvanised Iron (G.I) Cross Arm	No.	5		5	47,250	-	47,250
11	Channel Iron	No.	6		6	56,700	-	56,700
12	Disc Insulator 11KV	No.	36		36	170,100	-	170,100
13	6-Bolts Clamp	No.	36		36	85,050	-	85,050
14	J-Hook	No.	36		36	29,160	-	29,160
15	Socket Tongue	No.	36		36	29,160	-	29,160
16	Tie Bar	No.	10		10	7,155	-	7,155
17	Bolts, Nuts & Washers	No.	44		44	14,256	-	14,256
18	Land - Power Line	m ²	2,880		2,880	7,200,000	-	7,200,000
						9,055,791	-	9,055,791



Local Government Area: Ado-Ekiti

Location: Ekiti State High Court, Ado-Ekiti

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	72,900	72,900
2	8.53m Reinforced Concrete Pole (LT)	No.		11	11	-	334,125	334,125
3	High Tension (HT) Wooden Pole	No.			-	-	-	-
4	Low Tension (LT) Wooden Pole	No.		3	3	-	9,356	9,356
5	70mm ² AAC Aluminium Conductor	m		1,980	1,980	-	408,969	408,969
6	50mm ² AAC Aluminium Conductor	m		360	360	-	61,236	61,236
7	300KVA, 11/0.415KV Transformer	No.		1	1	-	2,853,000	2,853,000
8	D-Iron complete with Shackle Insulator	Set		56	56	-	40,824	40,824
9	HT Stay Assembly	Set		2	2	-	17,010	17,010
10	LT Stay Assembly	Set		9	9	-	76,545	76,545
11	Channel Iron	No.		3	3	-	25,515	25,515
12	Disc Insulator 11KV	No.		3	3	-	12,758	12,758
13	6-Bolts Clamp	No.		3	3	-	6,379	6,379
14	J-Hook	No.		3	3	-	2,187	2,187
15	Socket Tongue	No.		3	3	-	2,187	2,187
16	Bolts, Nuts & Washers	No.		8	8	-	2,333	2,333
17	Land - Power Line	m ²		3,510	3,510	-	8,775,000	8,775,000
18	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	12,740,323	12,740,323



Local Government Area: Ado-Ekiti

Location: Ekiti State High Court, Ado-Ekiti

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	72,900	72,900
2	8.53m Reinforced Concrete Pole (LT)	No.		11	11	-	334,125	334,125
3	Low Tension (LT) Wooden Pole	No.		3	3	-	9,356	9,356
4	70mm ² AAC Aluminium Conductor	m		1,980	1,980	-	408,969	408,969
5	50mm ² AAC Aluminium Conductor	m		360	360	-	61,236	61,236
6	300KVA, 11/0.415KV Transformer	No.		1	1	-	2,853,000	2,853,000
7	D-Iron complete with Shackle Insulator	Set		56	56	-	40,824	40,824
8	HT Stay Assembly	Set		2	2	-	17,010	17,010
9	LT Stay Assembly	Set		9	9	-	76,545	76,545
10	Channel Iron	No.		3	3	-	25,515	25,515
11	Disc Insulator 11KV	No.		3	3	-	12,758	12,758
12	6-Bolts Clamp	No.		3	3	-	6,379	6,379
13	J-Hook	No.		3	3	-	2,187	2,187
14	Socket Tongue	No.		3	3	-	2,187	2,187
15	Bolts, Nuts & Washers	No.		8	8	-	2,333	2,333
16	Land - Power Line	m ²		3,510	3,510	-	8,775,000	8,775,000
17	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	12,740,323	12,740,323



Local Government Area: Ado-Ekiti

Location: Mango Area, Onigari Quarters, Ado-Ekiti

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		9	9	-	328,050	328,050
2	8.53m Reinforced Concrete Pole (LT)	No.		8	8	-	243,000	243,000
3	Low Tension (LT) Wooden Pole	No.		64	64	-	199,584	199,584
4	100mm ² AAC Aluminium Conductor	m		1,050	1,050	-	331,695	331,695
5	70mm ² AAC Aluminium Conductor	m		2,700	2,700	-	557,685	557,685
6	50mm ² AAC Aluminium Conductor	m		7,680	7,680	-	1,306,368	1,306,368
7	300KVA, 11/0.415KV Transformer	No.		1	1	-	2,853,000	2,853,000
8	11KV Pot Insulator	No.		15	15	-	40,095	40,095
9	D-Iron complete with Shackle Insulator	Set		316	316	-	230,364	230,364
10	HT Stay Assembly	Set		5	5	-	42,525	42,525
11	LT Stay Assembly	Set		19	19	-	161,595	161,595
12	11KV Wooden Cross Arm	No.		9	9	-	29,768	29,768
13	Channel Iron	No.		5	5	-	42,525	42,525
14	Disc Insulator 11KV	No.		9	9	-	38,273	38,273
15	6-Bolts Clamp	No.		9	9	-	19,136	19,136
16	J-Hook	No.		9	9	-	6,561	6,561
17	Socket Tongue	No.		9	9	-	6,561	6,561
18	Tie Bar	No.		14	14	-	9,015	9,015
19	Bolts, Nuts & Washers	No.		22	22	-	6,415	6,415
20	Land - Power Line	m ²		17,145	17,145	-	42,862,500	42,862,500
21	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	49,354,715	49,354,715



Local Government Area: Ado

Location: Old Governor Office, Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	75,330	75,330
2	8.53m Reinforced Concrete Pole (LT)	No.		1	1	-	31,388	31,388
3	100mm ² AAC Aluminium Conductor	m		300	300	-	97,929	97,929
4	70mm ² AAC Aluminium Conductor	m		180	180	-	38,418	38,418
5	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
6	D-Iron complete with Shackle Insulator	Set		4	4	-	3,013	3,013
7	Channel Iron	No.		4	4	-	35,154	35,154
8	Disc Insulator 11KV	No.		3	3	-	13,183	13,183
9	6-Bolts Clamp	No.		3	3	-	6,591	6,591
10	J-Hook	No.		3	3	-	2,260	2,260
11	Socket Tongue	No.		3	3	-	2,260	2,260
12	Bolts, Nuts & Washers	No.		6	6	-	1,808	1,808
						-	4,678,334	4,678,334



Local Government Area: Ado

Location: Front of University of Agriculture Ado-Ekiti, UNAAD

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		9	9	-	353,565	353,565
2	8.53m Reinforced Concrete Pole (LT)	No.		17	17	-	556,538	556,538
3	Low Tension (LT) Wooden Pole	No.		54	54	-	216,513	216,513
4	100mm ² AAC Aluminium Conductor	m		900	900	-	306,423	306,423
5	70mm ² AAC Aluminium Conductor	m		3,060	3,060	-	681,202	681,202
6	50mm ² AAC Aluminium Conductor	m		6,480	6,480	-	1,187,978	1,187,978
7	300KVA, 11/0.415KV Transformer	No.		1	1	-	3,074,900	3,074,900
8	200KVA, 11/0.415KV Transformer	No.		1	1	-	1,784,800	1,784,800
9	33KV Pot Insulator	No.		9	9	-	45,374	45,374
10	D-Iron complete with Shackle Insulator	Set		284	284	-	223,139	223,139
11	HT Stay Assembly	Set		9	9	-	82,499	82,499
12	LT Stay Assembly	Set		21	21	-	192,497	192,497
13	11KV Wooden Cross Arm	No.		3	3	-	12,758	12,758
14	Channel Iron	No.		8	8	-	73,332	73,332
15	Disc Insulator 11KV	No.		12	12	-	54,999	54,999
16	6-Bolts Clamp	No.		12	12	-	27,500	27,500
17	J-Hook	No.		12	12	-	9,428	9,428
18	Socket Tongue	No.		12	12	-	9,428	9,428
19	Tie Bar	No.		4	4	-	2,776	2,776
20	Bolts, Nuts & Washers	No.		20	20	-	6,286	6,286
21	Land - Power Line	m ²		15,660	15,660	-	39,150,000	39,150,000
						-	48,051,933	48,051,933



Local Government Area: Ado

Location: Aba Egbira, Adebayo, Ado Ekiti

Commission Date: 2002

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		66	66	-	1,790,910	1,790,910
2	8.53m Reinforced Concrete Pole (LT)	No.		29	29	-	655,763	655,763
3	Low Tension (LT) Wooden Pole	No.		113	113	-	25,171	25,171
4	100mm ² AAC Aluminium Conductor	m		8,700	8,700	-	2,045,979	2,045,979
5	70mm ² AAC Aluminium Conductor	m		8,820	8,820	-	1,356,207	1,356,207
6	50mm ² AAC Aluminium Conductor	m		13,560	13,560	-	1,717,103	1,717,103
7	500KVA, 11/0.415KV Transformer	No.		2	2	-	7,520,000	7,520,000
8	300KVA, 11/0.415KV Transformer	No.		1	1	-	2,123,900	2,123,900
9	11KV Pot Insulator	No.		144	144	-	286,546	286,546
10	D-Iron complete with Shackle Insulator	Set		625	625	-	339,188	339,188
11	HT Stay Assembly	Set		27	27	-	170,951	170,951
12	LT Stay Assembly	Set		40	40	-	253,260	253,260
13	11KV Wooden Cross Arm	No.		47	47	-	11,104	11,104
14	Channel Iron	No.		22	22	-	139,293	139,293
15	Disc Insulator 11KV	No.		45	45	-	142,459	142,459
16	6-Bolts Clamp	No.		45	45	-	71,229	71,229
17	J-Hook	No.		45	45	-	24,422	24,422
18	Socket Tongue	No.		45	45	-	24,422	24,422
19	Tie Bar	No.		100	100	-	47,939	47,939
20	Bolts, Nuts & Washers	No.		222	222	-	48,192	48,192
21	Land - Power Line	m ²		46,620	46,620	-	116,550,000	116,550,000
22	Land - Transformer Sub-Station	m ²		48	48	-	120,000	120,000
						-	135,464,034	135,464,034



Local Government Area: Ado

Location: Bawa Housing Estate

Commission Date: 2003

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		21	21	-	595,350	595,350
2	8.53m Reinforced Concrete Pole (LT)	No.		27	27	-	637,875	637,875
3	Low Tension (LT) Wooden Pole	No.		46	46	-	20,493	20,493
4	100mm ² AAC Aluminium Conductor	m		2,850	2,850	-	700,245	700,245
5	70mm ² AAC Aluminium Conductor	m		7,510	7,510	-	1,206,482	1,206,482
6	50mm ² AAC Aluminium Conductor	m		5,520	5,520	-	730,296	730,296
7	200KVA, 11/0.415KV Transformer	No.		1	1	-	1,288,000	1,288,000
8	11KV Pot Insulator	No.		54	54	-	112,266	112,266
9	D-Iron complete with Shackle Insulator	Set		344	344	-	195,048	195,048
10	HT Stay Assembly	Set		17	17	-	112,455	112,455
11	LT Stay Assembly	Set		17	17	-	112,455	112,455
12	11KV Wooden Cross Arm	No.		15	15	-	7,088	7,088
13	Channel Iron	No.		7	7	-	46,305	46,305
14	Disc Insulator 11KV	No.		15	15	-	49,613	49,613
15	6-Bolts Clamp	No.		15	15	-	24,806	24,806
16	J-Hook	No.		15	15	-	8,505	8,505
17	Socket Tongue	No.		15	15	-	8,505	8,505
18	Tie Bar	No.		36	36	-	18,031	18,031
19	Bolts, Nuts & Washers	No.		84	84	-	19,051	19,051
20	Land - Power Line	m ²		23,820	23,820	-	59,550,000	59,550,000
21	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	65,482,868	65,482,868



Local Government Area: Ado

Location: Fountain High School Area, Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		69	69	-	245,916	245,916
2	50mm ² AAC Aluminium Conductor	m		8,280	8,280	-	1,455,376	1,455,376
3	D-Iron complete with Shackle Insulator	Set		276	276	-	207,911	207,911
4	LT Stay Assembly	Set		7	7	-	61,520	61,520
5	Land - Power Line	m ²		3,105	3,105	-	7,762,500	7,762,500
						-	9,733,222	9,733,222



Local Government Area: Ado

Location: In Front of SUBEB, Ado-Ekiti

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	78,570	78,570
2	8.53m Reinforced Concrete Pole (LT)	No.		3	3	-	98,213	98,213
3	100mm ² AAC Aluminium Conductor	m		150	150	-	51,071	51,071
4	70mm ² AAC Aluminium Conductor	m		540	540	-	120,212	120,212
5	300KVA, 11/0.415KV Transformer	No.		1	1	-	3,074,900	3,074,900
6	D-Iron complete with Shackle Insulator	Set		12	12	-	9,428	9,428
7	HT Stay Assembly	Set		2	2	-	18,333	18,333
8	LT Stay Assembly	Set		2	2	-	18,333	18,333
9	Channel Iron	No.		3	3	-	27,500	27,500
10	Disc Insulator 11KV	No.		3	3	-	13,750	13,750
11	6-Bolts Clamp	No.		3	3	-	6,875	6,875
12	J-Hook	No.		3	3	-	2,357	2,357
13	Socket Tongue	No.		3	3	-	2,357	2,357
14	Bolts, Nuts & Washers	No.		6	6	-	1,886	1,886
15	Land - Power Line	m ²		298	298	-	745,000	745,000
16	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	4,308,784	4,308,784



Local Government Area: Ado

Location: Fiyinfolu Estate

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		4	4	-	157,140	157,140
2	8.53m Reinforced Concrete Pole (LT)	No.		17	17	-	556,538	556,538
3	Low Tension (LT) Wooden Pole	No.		96	96	-	384,912	384,912
4	100mm ² AAC Aluminium Conductor	m		300	300	-	102,141	102,141
5	70mm ² AAC Aluminium Conductor	m		3,060	3,060	-	681,202	681,202
6	50mm ² AAC Aluminium Conductor	m		11,520	11,520	-	2,111,962	2,111,962
7	300KVA, 11/0.415KV Transformer	No.		1	1	-	46,123,500	46,123,500
8	D-Iron complete with Shackle Insulator	Set		460	460	-	361,422	361,422
9	HT Stay Assembly	Set		4	4	-	36,666	36,666
10	LT Stay Assembly	Set		32	32	-	293,328	293,328
11	Channel Iron	No.		5	5	-	45,833	45,833
12	Disc Insulator 11KV	No.		9	9	-	41,249	41,249
13	6-Bolts Clamp	No.		9	9	-	20,625	20,625
14	J-Hook	No.		9	9	-	7,071	7,071
15	Socket Tongue	No.		9	9	-	7,071	7,071
16	Bolts, Nuts & Washers	No.		14	14	-	4,400	4,400
17	Land - Power Line	m ²		6,377	6,377	-	15,942,500	15,942,500
18	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	66,917,559	66,917,559



Local Government Area: Ado

Location: Agric Area Ado Ekiti

Commission Date: 1998

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		5	5	-	107,325	107,325
2	Low Tension (LT) Wooden Pole	No.		7	7	-	1,559	1,559
3	100mm ² AAC Aluminium Conductor	m		450	450	-	83,714	83,714
4	50mm ² AAC Aluminium Conductor	m		840	840	-	84,143	84,143
5	100KVA, 33/0.415KV Transformer	No.		1	1	-	92,750	92,750
6	33KV Pot Insulator	No.		9	9	-	24,792	24,792
7	D-Iron complete with Shackle Insulator	Set		24	24	-	10,303	10,303
8	HT Stay Assembly	Set		4	4	-	20,034	20,034
9	LT Stay Assembly	Set		1	1	-	5,009	5,009
10	33KV Wooden Cross Arm	No.		1	1	-	338	338
11	Channel Iron	No.		5	5	-	25,043	25,043
12	Disc Insulator 33KV	No.		27	27	-	67,615	67,615
13	6-Bolts Clamp	No.		9	9	-	11,269	11,269
14	J-Hook	No.		9	9	-	3,864	3,864
15	Socket Tongue	No.		9	9	-	3,864	3,864
16	Tie Bar	No.		6	6	-	2,275	2,275
17	Bolts, Nuts & Washers	No.		18	18	-	3,091	3,091
18	Land - Power Line	m ²		552	552	-	1,380,000	1,380,000
19	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	1,966,986	1,966,986



Local Government Area: Ado

Location: Ifao-Ado Road, Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		21	21	-	74,844	74,844
2	50mm ² AAC Aluminium Conductor	m		4,320	4,320	-	759,326	759,326
3	D-Iron complete with Shackle Insulator	Set		144	144	-	108,475	108,475
4	Land - Power Line	m ²		1,620	1,620	-	4,050,000	4,050,000
						-	4,992,646	4,992,646



Local Government Area: Ado

Location: State Housing Estate Oke-Ila

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		5	5	-	188,325	188,325
2	8.53m Reinforced Concrete Pole (LT)	No.		6	6	-	188,325	188,325
3	Low Tension (LT) Wooden Pole	No.		50	50	-	178,200	178,200
4	100mm ² AAC Aluminium Conductor	m		450	450	-	146,894	146,894
5	70mm ² AAC Aluminium Conductor	m		1,080	1,080	-	230,510	230,510
6	50mm ² AAC Aluminium Conductor	m		6,000	6,000	-	1,054,620	1,054,620
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
8	33KV Pot Insulator	No.		3	3	-	14,501	14,501
9	D-Iron complete with Shackle Insulator	Set		224	224	-	168,739	168,739
10	HT Stay Assembly	Set		6	6	-	52,731	52,731
11	LT Stay Assembly	Set		20	20	-	175,770	175,770
12	11KV Wooden Cross Arm	No.		1	1	-	3,780	3,780
13	Channel Iron	No.		5	5	-	43,943	43,943
14	Disc Insulator 11KV	No.		9	9	-	39,548	39,548
15	6-Bolts Clamp	No.		9	9	-	19,774	19,774
16	J-Hook	No.		9	9	-	6,780	6,780
17	Socket Tongue	No.		9	9	-	6,780	6,780
18	Tie Bar	No.		2	2	-	1,331	1,331
19	Bolts, Nuts & Washers	No.		6	6	-	1,808	1,808
20	Land - Power Line	m ²		2,880	2,880	-	7,200,000	7,200,000
21	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	14,133,358	14,133,358



Local Government Area: Ado

Location: Ado-Ilawe expressway, Ado ekiti

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		21	21	-	765,450	765,450
2	Low Tension (LT) Wooden Pole	No.		14	14	-	43,659	43,659
3	100mm ² AAC Aluminium Conductor	m		2,700	2,700	-	852,930	852,930
4	50mm ² AAC Aluminium Conductor	m		1,680	1,680	-	285,768	285,768
5	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,230,000	4,230,000
6	11KV Pot Insulator	No.		45	45	-	120,285	120,285
7	D-Iron complete with Shackle Insulator	Set		56	56	-	40,824	40,824
8	HT Stay Assembly	Set		7	7	-	59,535	59,535
9	LT Stay Assembly	Set		2	2	-	17,010	17,010
10	11KV Wooden Cross Arm	No.		15	15	-	49,613	49,613
11	Channel Iron	No.		7	7	-	59,535	59,535
12	Disc Insulator 11KV	No.		15	15	-	63,788	63,788
13	6-Bolts Clamp	No.		15	15	-	31,894	31,894
14	J-Hook	No.		15	15	-	10,935	10,935
15	Socket Tongue	No.		15	15	-	10,935	10,935
16	Tie Bar	No.		30	30	-	19,319	19,319
17	Bolts, Nuts & Washers	No.		70	70	-	20,412	20,412
18	Land - Power Line	m ²		1,980	1,980	-	4,950,000	4,950,000
19	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	11,671,890	11,671,890



Local Government Area: Ado

Location: Federal Housing Scheme Ado-Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		20	20	-	753,300	753,300
2	8.53m Reinforced Concrete Pole (LT)	No.		27	27	-	847,463	847,463
3	Low Tension (LT) Wooden Pole	No.		15	15	-	53,460	53,460
4	100mm ² AAC Aluminium Conductor	m		2,250	2,250	-	734,468	734,468
5	70mm ² AAC Aluminium Conductor	m		7,860	7,860	-	1,677,599	1,677,599
6	50mm ² AAC Aluminium Conductor	m		1,800	1,800	-	316,386	316,386
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
8	11KV Pot Insulator	No.		30	30	-	82,863	82,863
9	D-Iron complete with Shackle Insulator	Set		224	224	-	168,739	168,739
10	HT Stay Assembly	Set		14	14	-	123,039	123,039
11	LT Stay Assembly	Set		9	9	-	79,097	79,097
12	11KV Wooden Cross Arm	No.		10	10	-	37,800	37,800
13	Channel Iron	No.		11	11	-	96,674	96,674
14	Disc Insulator 11KV	No.		27	27	-	118,645	118,645
15	6-Bolts Clamp	No.		27	27	-	59,322	59,322
16	J-Hook	No.		27	27	-	20,339	20,339
17	Socket Tongue	No.		27	27	-	20,339	20,339
18	Tie Bar	No.		20	20	-	13,308	13,308
19	Bolts, Nuts & Washers	No.		54	54	-	16,271	16,271
20	Land - Power Line	m ²		4,747	4,747	-	11,867,500	11,867,500
21	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	21,497,611	21,497,611



Local Government Area: Ado

Location: Awedele Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		11	11	-	414,315	414,315
2	8.53m Reinforced Concrete Pole (LT)	No.		8	8	-	251,100	251,100
3	Low Tension (LT) Wooden Pole	No.		35	35	-	124,740	124,740
4	100mm ² AAC Aluminium Conductor	m		1,200	1,200	-	391,716	391,716
5	70mm ² AAC Aluminium Conductor	m		2,240	2,240	-	478,094	478,094
6	50mm ² AAC Aluminium Conductor	m		4,200	4,200	-	738,234	738,234
7	300KVA, 11/0.415KV Transformer	No.		1	1	-	2,948,100	2,948,100
8	33KV Pot Insulator	No.		15	15	-	72,505	72,505
9	D-Iron complete with Shackle Insulator	Set		184	184	-	138,607	138,607
10	HT Stay Assembly	Set		8	8	-	70,308	70,308
11	LT Stay Assembly	Set		4	4	-	35,154	35,154
12	11KV Wooden Cross Arm	No.		5	5	-	18,900	18,900
13	Channel Iron	No.		7	7	-	61,520	61,520
14	Disc Insulator 11KV	No.		9	9	-	39,548	39,548
15	6-Bolts Clamp	No.		9	9	-	19,774	19,774
16	J-Hook	No.		9	9	-	6,780	6,780
17	Socket Tongue	No.		9	9	-	6,780	6,780
18	Tie Bar	No.		10	10	-	6,654	6,654
19	Bolts, Nuts & Washers	No.		28	28	-	8,437	8,437
20	Land - Power Line	m ²		3,015	3,015	-	7,537,500	7,537,500
21	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	13,408,766	13,408,766



Local Government Area: Ado

Location: Omisanjana Ward III

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	78,570	78,570
2	8.53m Reinforced Concrete Pole (LT)	No.		7	7	-	229,163	229,163
3	Low Tension (LT) Wooden Pole	No.		68	68	-	272,646	272,646
4	70mm ² AAC Aluminium Conductor	m		1,260	1,260	-	280,495	280,495
5	50mm ² AAC Aluminium Conductor	m		8,160	8,160	-	1,495,973	1,495,973
6	300KVA, 11/0.415KV Transformer	No.		1	1	-	3,074,900	3,074,900
7	D-Iron complete with Shackle Insulator	Set		300	300	-	235,710	235,710
8	HT Stay Assembly	Set		2	2	-	18,333	18,333
9	LT Stay Assembly	Set		18	18	-	164,997	164,997
10	11KV Wooden Cross Arm	No.		2	2	-	8,505	8,505
11	Channel Iron	No.		3	3	-	27,500	27,500
12	Disc Insulator 11KV	No.		3	3	-	13,750	13,750
13	6-Bolts Clamp	No.		3	3	-	6,875	6,875
14	J-Hook	No.		3	3	-	2,357	2,357
15	Socket Tongue	No.		3	3	-	2,357	2,357
16	Bolts, Nuts & Washers	No.		6	6	-	1,886	1,886
17	Land - Power Line	m ²		3,690	3,690	-	9,225,000	9,225,000
18	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	15,179,015	15,179,015



Local Government Area: Ado

Location: Secretariat Ado Ekiti

Commission Date: 1998

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		43	43	-	922,995	922,995
2	8.53m Reinforced Concrete Pole (LT)	No.		55	55	-	983,813	983,813
3	Low Tension (LT) Wooden Pole	No.		3	3	-	668	668
4	100mm ² AAC Aluminium Conductor	m		5,250	5,250	-	976,658	976,658
5	70mm ² AAC Aluminium Conductor	m		16,100	16,100	-	1,958,324	1,958,324
6	50mm ² AAC Aluminium Conductor	m		360	360	-	36,061	36,061
7	500KVA, 11/0.415KV Transformer	No.		3	3	-	7,473,000	7,473,000
8	11KV Pot Insulator	No.		84	84	-	132,224	132,224
9	D-Iron complete with Shackle Insulator	Set		348	348	-	149,396	149,396
10	HT Stay Assembly	Set		21	21	-	105,179	105,179
11	LT Stay Assembly	Set		20	20	-	100,170	100,170
12	11KV Wooden Cross Arm	No.		28	28	-	6,615	6,615
13	Channel Iron	No.		19	19	-	95,162	95,162
14	Disc Insulator 11KV	No.		39	39	-	97,666	97,666
15	6-Bolts Clamp	No.		39	39	-	48,833	48,833
16	J-Hook	No.		39	39	-	16,743	16,743
17	Socket Tongue	No.		39	39	-	16,743	16,743
18	Tie Bar	No.		56	56	-	21,236	21,236
19	Bolts, Nuts & Washers	No.		134	134	-	23,010	23,010
20	Land - Power Line	m ²		8,797	8,797	-	21,992,500	21,992,500
21	Land - Transformer Sub-Station	m ²		48	48	-	120,000	120,000
						-	35,276,994	35,276,994



Local Government Area: Ado

Location: Radio/TV Station

Commission Date: 2007

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		77	77	-	2,588,355	2,588,355
2	8.53m Reinforced Concrete Pole (LT)	No.		3	3	-	84,038	84,038
3	Low Tension (LT) Wooden Pole	No.		56	56	-	124,740	124,740
4	100mm ² AAC Aluminium Conductor	m		8,400	8,400	-	2,447,172	2,447,172
5	70mm ² AAC Aluminium Conductor	m		4,740	4,740	-	902,899	902,899
6	50mm ² AAC Aluminium Conductor	m		6,720	6,720	-	1,054,166	1,054,166
7	500KVA, 11/0.415KV Transformer	No.		2	2	-	7,802,000	7,802,000
8	11KV Pot Insulator	No.		162	162	-	399,346	399,346
9	D-Iron complete with Shackle Insulator	Set		320	320	-	215,136	215,136
10	HT Stay Assembly	Set		37	37	-	290,210	290,210
11	LT Stay Assembly	Set		13	13	-	101,966	101,966
12	11KV Wooden Cross Arm	No.		54	54	-	127,575	127,575
13	Channel Iron	No.		24	24	-	188,244	188,244
14	Disc Insulator 11KV	No.		60	60	-	235,305	235,305
15	6-Bolts Clamp	No.		60	60	-	117,653	117,653
16	J-Hook	No.		60	60	-	40,338	40,338
17	Socket Tongue	No.		60	60	-	40,338	40,338
18	Tie Bar	No.		108	108	-	64,137	64,137
19	Bolts, Nuts & Washers	No.		240	240	-	64,541	64,541
20	Land - Power Line	m ²		17,190	17,190	-	42,975,000	42,975,000
21	Land - Transformer Sub-Station	m ²		32	32	-	80,000	80,000
						-	59,943,158	59,943,158



Local Government Area: Ado

Location: Obasanjo Estate, Along Ado-Ikere Road

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		4	4	-	157,140	157,140
2	8.53m Reinforced Concrete Pole (LT)	No.		26	26	-	851,175	851,175
3	100mm ² AAC Aluminium Conductor	m		450	450	-	153,212	153,212
4	70mm ² AAC Aluminium Conductor	m		4,680	4,680	-	1,041,838	1,041,838
5	500KVA, 33/0.415KV Transformer	No.		1	1	-	4,714,200	4,714,200
6	33KV Pot Insulator	No.		6	6	-	30,249	30,249
7	D-Iron complete with Shackle Insulator	Set		104	104	-	81,713	81,713
8	HT Stay Assembly	Set		4	4	-	36,666	36,666
9	LT Stay Assembly	Set		9	9	-	82,499	82,499
10	33KV Wooden Cross Arm	No.		1	1	-	6,075	6,075
11	Channel Iron	No.		3	3	-	27,500	27,500
12	Disc Insulator 33KV	No.		9	9	-	41,249	41,249
13	6-Bolts Clamp	No.		3	3	-	6,875	6,875
14	J-Hook	No.		3	3	-	2,357	2,357
15	Socket Tongue	No.		3	3	-	2,357	2,357
16	Tie Bar	No.		4	4	-	2,776	2,776
17	Bolts, Nuts & Washers	No.		10	10	-	3,143	3,143
18	Land - Power Line	m ²		1,980	1,980	-	4,950,000	4,950,000
19	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	12,231,023	12,231,023



Local Government Area: Ado

Location: Olorunda Quarters

Commission Date: 2007/2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		34	34	-	1,142,910	1,142,910
2	Low Tension (LT) Wooden Pole	No.		170	170	-	378,675	378,675
3	100mm ² AAC Aluminium Conductor	m		4,500	4,500	-	1,310,985	1,310,985
4	50mm ² AAC Aluminium Conductor	m		20,400	20,400	-	3,200,148	3,200,148
5	300KVA, 11/0.415KV Transformer	No.		2	2	-	5,262,200	5,262,200
6	11KV Pot Insulator	No.		69	69	-	170,092	170,092
7	D-Iron complete with Shackle Insulator	Set		680	680	-	457,164	457,164
8	HT Stay Assembly	Set		15	15	-	117,653	117,653
9	LT Stay Assembly	Set		46	46	-	360,801	360,801
10	11KV Wooden Cross Arm	No.		23	23	-	54,338	54,338
11	Channel Iron	No.		10	10	-	78,435	78,435
12	Disc Insulator 11KV	No.		18	18	-	70,592	70,592
13	6-Bolts Clamp	No.		18	18	-	35,296	35,296
14	J-Hook	No.		18	18	-	12,101	12,101
15	Socket Tongue	No.		18	18	-	12,101	12,101
16	Tie Bar	No.		46	46	-	27,318	27,318
17	Bolts, Nuts & Washers	No.		108	108	-	29,043	29,043
18	Land - Power Line	m ²		9,915	9,915	-	9,220,950	9,220,950
19	Land - Transformer Sub-Station	m ²		32	32	-	29,760	29,760
						-	21,970,561	21,970,561



Local Government Area: Ado

Location: Nova Rd Gasco Block Area Ado

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		20	20	-	785,700	785,700
2	8.53m Reinforced Concrete Pole (LT)	No.		4	4	-	130,950	130,950
3	100mm ² AAC Aluminium Conductor	m		2,850	2,850	-	970,340	970,340
4	70mm ² AAC Aluminium Conductor	m		2,320	2,320	-	516,467	516,467
5	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,559,000	4,559,000
6	33KV Pot Insulator	No.		51	51	-	257,120	257,120
7	D-Iron complete with Shackle Insulator	Set		52	52	-	40,856	40,856
8	HT Stay Assembly	Set		7	7	-	64,166	64,166
9	11KV Wooden Cross Arm	No.		18	18	-	76,545	76,545
10	Channel Iron	No.		5	5	-	45,833	45,833
11	Disc Insulator 11KV	No.		9	9	-	41,249	41,249
12	6-Bolts Clamp	No.		9	9	-	20,625	20,625
13	J-Hook	No.		9	9	-	7,071	7,071
14	Socket Tongue	No.		9	9	-	7,071	7,071
15	Tie Bar	No.		34	34	-	23,597	23,597
16	Bolts, Nuts & Washers	No.		76	76	-	23,885	23,885
17	Land - Power Line	m ²		2,295	2,295	-	2,134,350	2,134,350
18	Land - Transformer Sub-Station	m ²		16	16	-	14,880	14,880
						-	9,719,705	9,719,705



Local Government Area: Ado

Location: Ifesowapo Area, Olorunda Quarters Ado.

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		32	32	-	114,048	114,048
2	50mm ² AAC Aluminium Conductor	m		3,840	3,840	-	674,957	674,957
3	D-Iron complete with Shackle Insulator	Set		128	128	-	96,422	96,422
4	LT Stay Assembly	Set		6	6	-	52,731	52,731
5	Land - Power Line	m ²		1,440	1,440	-	1,339,200	1,339,200
						-	2,277,358	2,277,358



Local Government Area: Ado

Location: Temidayo, Olorunsogo Area, Opopogboro Road

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		72	72	-	256,608	256,608
2	50mm ² AAC Aluminium Conductor	m		8,640	8,640	-	1,518,653	1,518,653
3	D-Iron complete with Shackle Insulator	Set		288	288	-	216,950	216,950
4	LT Stay Assembly	Set		20	20	-	175,770	175,770
5	Land - Power Line	m ²		3,240	3,240	-	3,013,200	3,013,200
						-	5,181,181	5,181,181



Local Government Area: Ado

Location: Osekita Hostel Area

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		35	35		1,417,500	1,417,500
2	8.53m Reinforced Concrete Pole (LT)	No.		4	4		135,000	135,000
3	High Tension (HT) Wooden Pole	No.		19	19		141,075	141,075
4	Low Tension (LT) Wooden Pole	No.		74	74		329,670	329,670
5	100mm ² AAC Aluminium Conductor	m		6,750	6,750		2,369,250	2,369,250
6	70mm ² AAC Aluminium Conductor	m		720	720		165,240	165,240
7	50mm ² AAC Aluminium Conductor	m		8,880	8,880		1,678,320	1,678,320
8	500KVA, 11/0.415KV Transformer	No.		1	1		4,700,000	4,700,000
9	300KVA, 11/0.415KV Transformer	No.		1	1		3,170,000	3,170,000
10	200KVA, 11/0.415KV Transformer	No.		1	1		460,000	460,000
11	11KV Pot Insulator	No.		105	105		311,850	311,850
12	D-Iron complete with Shackle Insulator	Set		328	328		265,680	265,680
13	11KV Line Isolator Switch Complete	Set		1	1		148,500	148,500
14	HT Stay Assembly	Set		27	27		255,150	255,150
15	LT Stay Assembly	Set		20	20		189,000	189,000
16	11KV Wooden Cross Arm	No.		30	30		141,750	141,750
17	Channel Iron	No.		23	23		217,350	217,350
18	Disc Insulator 11KV	No.		51	51		240,975	240,975
19	6-Bolts Clamp	No.		51	51		120,488	120,488
20	J-Hook	No.		51	51		41,310	41,310
21	Socket Tongue	No.		51	51		41,310	41,310
22	Tie Bar	No.		70	70		50,085	50,085
23	Bolts, Nuts & Washers	No.		166	166		53,784	53,784
24	Land - Power Line	m ²		6,975	6,975		6,486,750	6,486,750
25	Land - Transformer Sub-Station	m ²		48	48		44,640	44,640
						-	23,174,677	23,174,677



Local Government Area: Ado

Location: Irewumi Quarters Ado-Ekiti

Commission Date: 2008

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	8.53m Reinforced Concrete Pole (LT)	No.		36	36	-	1,057,050	1,057,050
2	Low Tension (LT) Wooden Pole	No.		61	61	-	163,053	163,053
3	70mm ² AAC Aluminium Conductor	m		6,480	6,480	-	1,293,829	1,293,829
4	50mm ² AAC Aluminium Conductor	m		7,320	7,320	-	1,203,628	1,203,628
5	33KV Line Isolator Switch Complete	Set		388	388	-	80,204,256	80,204,256
6	HT Stay Assembly	Set		2	2	-	16,443	16,443
7	LT Stay Assembly	Set		30	30	-	246,645	246,645
8	Land - Power Line	m ²		5,175	5,175	-	4,812,750	4,812,750
						-	88,997,654	88,997,654



Local Government Area: Ado

Location: Omo Oba Road 132KV Line Area

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	8.53m Reinforced Concrete Pole (LT)	No.		50	50	-	1,687,500	1,687,500
2	100mm ² AAC Aluminium Conductor	m		9,000	9,000	-	3,159,000	3,159,000
3	D-Iron complete with Shackle Insulator	Set		200	200	-	162,000	162,000
4	LT Stay Assembly	Set		27	27	-	255,150	255,150
5	Land - Power Line	m ²		3,375	3,375	-	3,138,750	3,138,750
						-	8,402,400	8,402,400



Local Government Area: Ado

Location: Fagbuaro-Avenue Opopogboro Area

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		26	26	-	979,290	979,290
2	Low Tension (LT) Wooden Pole	No.		27	27	-	96,228	96,228
3	70mm ² AAC Aluminium Conductor	m		4,680	4,680	-	998,876	998,876
4	50mm ² AAC Aluminium Conductor	m		3,240	3,240	-	569,495	569,495
5	D-Iron complete with Shackle Insulator	Set		212	212	-	159,700	159,700
6	LT Stay Assembly	Set		8	8	-	70,308	70,308
7	Land - Power Line	m ²		3,555	3,555	-	3,306,150	3,306,150
						-	6,180,046	6,180,046



Local Government Area: Ado

Location: Olorunda Zone I

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		97	97	-	345,708	345,708
2	50mm ² AAC Aluminium Conductor	m		11,640	11,640	-	2,045,963	2,045,963
3	D-Iron complete with Shackle Insulator	Set		388	388	-	292,280	292,280
4	LT Stay Assembly	Set		26	26	-	228,501	228,501
5	Land - Power Line	m ²		4,365	4,365	-	4,059,450	4,059,450
						-	6,971,902	6,971,902



Local Government Area: Ado

Location: Ologbede Quarters, Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	8.53m Reinforced Concrete Pole (LT)	No.		7	7	-	219,713	219,713
2	Low Tension (LT) Wooden Pole	No.		27	27	-	96,228	96,228
3	70mm ² AAC Aluminium Conductor	m		1,260	1,260	-	268,928	268,928
4	50mm ² AAC Aluminium Conductor	m		3,240	3,240	-	569,495	569,495
5	D-Iron complete with Shackle Insulator	Set		136	136	-	102,449	102,449
6	LT Stay Assembly	Set		5	5	-	43,943	43,943
7	Land - Power Line	m ²		1,687	1,687	-	4,217,500	4,217,500
						-	5,518,255	5,518,255



Local Government Area: Ado

Location: 33KV Ado-Ekiti University Extension

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		87	87	-	3,417,795	3,417,795
2	100mm ² ACSR Aluminium Conductor	m		11,250	11,250	-	5,156,156	5,156,156
3	11KV Pot Insulator	No.		207	207	-	596,346	596,346
4	HT Stay Assembly	Set		58	58	-	531,657	531,657
5	11KV Wooden Cross Arm	No.		45	45	-	191,363	191,363
6	Channel Iron	No.		22	22	-	201,663	201,663
7	Disc Insulator 11KV	No.		66	66	-	302,495	302,495
8	6-Bolts Clamp	No.		66	66	-	151,247	151,247
9	J-Hook	No.		66	66	-	51,856	51,856
10	Socket Tongue	No.		66	66	-	51,856	51,856
11	Tie Bar	No.		138	138	-	95,777	95,777
12	Bolts, Nuts & Washers	No.		298	298	-	93,655	93,655
13	Land - Power Line	m ²		5,625	5,625	-	14,062,500	14,062,500
						-	24,904,366	24,904,366



Local Government Area: Ado

Location: Fountain Hotel, Basiri Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		10	10	-	376,650	376,650
2	8.53m Reinforced Concrete Pole (LT)	No.		21	21	-	659,138	659,138
3	Low Tension (LT) Wooden Pole	No.		2	2	-	7,128	7,128
4	100mm ² AAC Aluminium Conductor	m		1,500	1,500	-	489,645	489,645
5	70mm ² AAC Aluminium Conductor	m		5,580	5,580	-	1,190,967	1,190,967
6	50mm ² AAC Aluminium Conductor	m		240	240	-	42,185	42,185
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
8	11KV Pot Insulator	No.		27	27	-	74,577	74,577
9	D-Iron complete with Shackle Insulator	Set		124	124	-	93,409	93,409
10	HT Stay Assembly	Set		3	3	-	26,366	26,366
11	LT Stay Assembly	Set		4	4	-	35,154	35,154
12	11KV Wooden Cross Arm	No.		9	9	-	34,020	34,020
13	Channel Iron	No.		4	4	-	35,154	35,154
14	Disc Insulator 11KV	No.		3	3	-	13,183	13,183
15	6-Bolts Clamp	No.		3	3	-	6,591	6,591
16	J-Hook	No.		3	3	-	2,260	2,260
17	Socket Tongue	No.		3	3	-	2,260	2,260
18	Tie Bar	No.		18	18	-	11,977	11,977
19	Bolts, Nuts & Washers	No.		42	42	-	12,655	12,655
20	Land - Power Line	m ²		2,932	2,932	-	2,726,760	2,726,760
21	Land - Transformer Sub-Station	m ²		16	16	-	14,880	14,880
						-	10,225,959	10,225,959



Local Government Area: Ado

Location: Betterlife Basiri Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		7	7	-	263,655	263,655
2	8.53m Reinforced Concrete Pole (LT)	No.		18	18	-	564,975	564,975
3	Low Tension (LT) Wooden Pole	No.		70	70	-	249,480	249,480
4	100mm ² AAC Aluminium Conductor	m		750	750	-	244,823	244,823
5	70mm ² AAC Aluminium Conductor	m		4,240	4,240	-	904,964	904,964
6	50mm ² AAC Aluminium Conductor	m		8,400	8,400	-	1,476,468	1,476,468
7	11KV Pot Insulator	No.		9	9	-	24,859	24,859
8	D-Iron complete with Shackle Insulator	Set		372	372	-	280,228	280,228
9	HT Stay Assembly	Set		4	4	-	35,154	35,154
10	LT Stay Assembly	Set		22	22	-	193,347	193,347
11	11KV Wooden Cross Arm	No.		4	4	-	15,120	15,120
12	Channel Iron	No.		8	8	-	70,308	70,308
13	Disc Insulator 11KV	No.		9	9	-	39,548	39,548
14	6-Bolts Clamp	No.		9	9	-	19,774	19,774
15	J-Hook	No.		9	9	-	6,780	6,780
16	Socket Tongue	No.		9	9	-	6,780	6,780
17	Tie Bar	No.		6	6	-	3,992	3,992
18	Bolts, Nuts & Washers	No.		22	22	-	6,629	6,629
19	Land - Power Line	m ²		5,115	5,115	-	4,756,950	4,756,950
20	Land - Transformer Sub-Station	m ²		16	16	-	14,880	14,880
						-	9,178,714	9,178,714



Local Government Area: Ado

Location: Irekari NTA Road Ado Ekiti

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		14	14	-	567,000	567,000
2	8.53m Reinforced Concrete Pole (LT)	No.		60	60	-	2,025,000	2,025,000
3	Low Tension (LT) Wooden Pole	No.		11	11	-	49,005	49,005
4	100mm ² AAC Aluminium Conductor	m		1,950	1,950	-	684,450	684,450
5	70mm ² AAC Aluminium Conductor	m		11,800	11,800	-	2,708,100	2,708,100
6	50mm ² AAC Aluminium Conductor	m		1,320	1,320	-	249,480	249,480
7	11KV Pot Insulator	No.		30	30	-	89,100	89,100
8	D-Iron complete with Shackle Insulator	Set		304	304	-	246,240	246,240
9	HT Stay Assembly	Set		7	7	-	66,150	66,150
10	LT Stay Assembly	Set		19	19	-	179,550	179,550
11	11KV Wooden Cross Arm	No.		10	10	-	47,250	47,250
12	Channel Iron	No.		4	4	-	37,800	37,800
13	Disc Insulator 11KV	No.		12	12	-	56,700	56,700
14	6-Bolts Clamp	No.		12	12	-	28,350	28,350
15	J-Hook	No.		12	12	-	9,720	9,720
16	Socket Tongue	No.		12	12	-	9,720	9,720
17	Tie Bar	No.		20	20	-	14,310	14,310
18	Bolts, Nuts & Washers	No.		28	28	-	9,072	9,072
19	Land - Power Line	m ²		5,895	5,895	-	5,482,350	5,482,350
						-	12,559,347	12,559,347



Local Government Area: Ado

Location: Irewolede, Olujoda Area

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		24	24	-	942,840	942,840
2	8.53m Reinforced Concrete Pole (LT)	No.		106	106	-	3,470,175	3,470,175
3	Low Tension (LT) Wooden Pole	No.		33	33	-	132,314	132,314
4	100mm ² AAC Aluminium Conductor	m		2,850	2,850	-	970,340	970,340
5	70mm ² AAC Aluminium Conductor	m		21,480	21,480	-	4,781,770	4,781,770
6	50mm ² AAC Aluminium Conductor	m		3,960	3,960	-	725,987	725,987
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,559,000	4,559,000
8	11KV Pot Insulator	No.		42	42	-	120,998	120,998
9	D-Iron complete with Shackle Insulator	Set		604	604	-	474,563	474,563
10	HT Stay Assembly	Set		16	16	-	146,664	146,664
11	LT Stay Assembly	Set		30	30	-	274,995	274,995
12	11KV Wooden Cross Arm	No.		14	14	-	59,535	59,535
13	Channel Iron	No.		14	14	-	128,331	128,331
14	Disc Insulator 11KV	No.		27	27	-	123,748	123,748
15	6-Bolts Clamp	No.		27	27	-	61,874	61,874
16	J-Hook	No.		27	27	-	21,214	21,214
17	Socket Tongue	No.		27	27	-	21,214	21,214
18	Tie Bar	No.		28	28	-	19,433	19,433
19	Bolts, Nuts & Washers	No.		72	72	-	22,628	22,628
20	Land - Power Line	m ²		9,540	9,540	-	8,872,200	8,872,200
21	Land - Transformer Sub-Station	m ²		16	16	-	14,880	14,880
						-	25,944,701	25,944,701



Local Government Area: Ado

Location: Shephard Int. Sch. Rd/ Ajobamidele

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		25	25	-	100,238	100,238
2	100mm ² AAC Aluminium Conductor	m		3,750	3,750	-	1,276,763	1,276,763
3	70mm ² AAC Aluminium Conductor	m		3,000	3,000	-	667,845	667,845
4	11KV Pot Insulator	No.		60	60	-	172,854	172,854
5	D-Iron complete with Shackle Insulator	Set		204	204	-	160,283	160,283
6	HT Stay Assembly	Set		3	3	-	27,500	27,500
7	LT Stay Assembly	Set		6	6	-	54,999	54,999
8	11KV Wooden Cross Arm	No.		20	20	-	85,050	85,050
9	Channel Iron	No.		6	6	-	54,999	54,999
10	Disc Insulator 11KV	No.		18	18	-	82,499	82,499
11	6-Bolts Clamp	No.		18	18	-	41,249	41,249
12	J-Hook	No.		18	18	-	14,143	14,143
13	Socket Tongue	No.		18	18	-	14,143	14,143
14	Tie Bar	No.		40	40	-	27,761	27,761
15	Bolts, Nuts & Washers	No.		86	86	-	27,028	27,028
16	Land - Power Line	m ²		2,955	2,955	-	2,748,150	2,748,150
						-	5,555,502	5,555,502



Local Government Area: Ado

Location: UNAAD Quarters & School ADO

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		24	24	-	942,840	942,840
2	8.53m Reinforced Concrete Pole (LT)	No.		71	71	-	2,324,363	2,324,363
3	Low Tension (LT) Wooden Pole	No.		55	55	-	220,523	220,523
4	100mm ² AAC Aluminium Conductor	m		2,550	2,550	-	868,199	868,199
5	70mm ² AAC Aluminium Conductor	m		12,780	12,780	-	2,845,020	2,845,020
6	50mm ² AAC Aluminium Conductor	m		6,680	6,680	-	1,224,644	1,224,644
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,559,000	4,559,000
8	100KVA, 11/0.415KV Transformer	No.		1	1	-	1,096,100	1,096,100
9	11KV Pot Insulator	No.		21	21	-	60,499	60,499
10	D-Iron complete with Shackle Insulator	Set		504	504	-	395,993	395,993
11	HT Stay Assembly	Set		10	10	-	91,665	91,665
12	LT Stay Assembly	Set		24	24	-	219,996	219,996
13	11KV Wooden Cross Arm	No.		7	7	-	29,768	29,768
14	Channel Iron	No.		12	12	-	109,998	109,998
15	Disc Insulator 11KV	No.		18	18	-	82,499	82,499
16	6-Bolts Clamp	No.		18	18	-	41,249	41,249
17	J-Hook	No.		18	18	-	14,143	14,143
18	Socket Tongue	No.		18	18	-	14,143	14,143
19	Tie Bar	No.		14	14	-	9,716	9,716
20	Bolts, Nuts & Washers	No.		48	48	-	15,085	15,085
21	Land - Power Line	m ²		8,572	8,572	-	7,971,960	7,971,960
22	Land - Transformer Sub-Station	m ²		32	32	-	29,760	29,760
						-	23,167,161	23,167,161



Local Government Area: Ado

Location: Ayedun Quarters, Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	75,330	75,330
2	8.53m Reinforced Concrete Pole (LT)	No.		18	18	-	564,975	564,975
3	High Tension (HT) Wooden Pole	No.		167	167	-	991,980	991,980
4	70mm ² AAC Aluminium Conductor	m		3,240	3,240	-	691,529	691,529
5	50mm ² AAC Aluminium Conductor	m		20,040	20,040	-	3,522,431	3,522,431
6	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
7	D-Iron complete with Shackle Insulator	Set		740	740	-	557,442	557,442
8	HT Stay Assembly	Set		2	2	-	17,577	17,577
9	LT Stay Assembly	Set		57	57	-	500,945	500,945
10	Channel Iron	No.		4	4	-	35,154	35,154
11	Disc Insulator 11KV	No.		3	3	-	13,183	13,183
12	6-Bolts Clamp	No.		3	3	-	6,591	6,591
13	J-Hook	No.		3	3	-	2,260	2,260
14	Socket Tongue	No.		3	3	-	2,260	2,260
15	Land - Power Line	m ²		8,730	8,730	-	7,525,260	7,525,260
16	Land - Transformer Sub-Station	m ²		16	16	-	13,792	13,792
						-	18,891,709	18,891,709



Local Government Area: Ado

Location: Obasanjo Estate Phase I Ikere Road

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		11	11	-	432,135	432,135
2	8.53m Reinforced Concrete Pole (LT)	No.		20	20	-	654,750	654,750
3	Low Tension (LT) Wooden Pole	No.		45	45	-	180,428	180,428
4	100mm ² AAC Aluminium Conductor	m		750	750	-	255,353	255,353
5	70mm ² AAC Aluminium Conductor	m		3,600	3,600	-	801,414	801,414
6	50mm ² AAC Aluminium Conductor	m		5,400	5,400	-	989,982	989,982
7	300KVA, 33/0.415KV Transformer	No.		1	1	-	3,453,200	3,453,200
8	50KVA, 11/0.415KV Transformer	No.		2	2	-	1,959,400	1,959,400
9	D-Iron complete with Shackle Insulator	Set		260	260	-	204,282	204,282
10	33KV Line Isolator Switch Complete	Set		1	1	-	230,472	230,472
11	HT Stay Assembly	Set		8	8	-	73,332	73,332
12	LT Stay Assembly	Set		21	21	-	192,497	192,497
13	33KV Wooden Cross Arm	No.		1	1	-	6,075	6,075
14	Channel Iron	No.		16	16	-	146,664	146,664
15	Disc Insulator 33KV	No.		45	45	-	206,246	206,246
16	6-Bolts Clamp	No.		30	30	-	68,749	68,749
17	J-Hook	No.		30	30	-	23,571	23,571
18	Socket Tongue	No.		30	30	-	23,571	23,571
19	Bolts, Nuts & Washers	No.		22	22	-	6,914	6,914
20	Land - Power Line	m ²		3,750	3,750	-	6,465,000	6,465,000
21	Land - Transformer Sub-Station	m ²		48	48	-	82,752	82,752
						-	16,456,786	16,456,786



Local Government Area: Ado

Location: Fabia Avenue

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	8.53m Reinforced Concrete Pole (LT)	No.		91	91	-	3,071,250	3,071,250
2	Low Tension (LT) Wooden Pole	No.		56	56	-	249,480	249,480
3	70mm ² AAC Aluminium Conductor	m		16,380	16,380	-	3,759,210	3,759,210
4	50mm ² AAC Aluminium Conductor	m		6,720	6,720	-	1,270,080	1,270,080
5	300KVA, 33/0.415KV Transformer	No.		1	1	-	3,560,000	3,560,000
6	300KVA, 11/0.415KV Transformer	No.		1	1	-	3,170,000	3,170,000
7	D-Iron complete with Shackle Insulator	Set		588	588	-	476,280	476,280
8	LT Stay Assembly	Set		46	46	-	434,700	434,700
9	Land - Power Line	m ²		8,662	8,662	-	14,933,288	14,933,288
						-	30,924,288	30,924,288



Local Government Area: Ado

Location: Odo, via Ado Ekiti

Commission Date: 2000

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		11	11	-	267,300	267,300
2	8.53m Reinforced Concrete Pole (LT)	No.		27	27	-	546,750	546,750
3	100mm ² AAC Aluminium Conductor	m		1,500	1,500	-	315,900	315,900
4	70mm ² AAC Aluminium Conductor	m		6,360	6,360	-	875,772	875,772
5	200KVA, 33/0.415KV Transformer	No.		1	1	-	1,368,000	1,368,000
6	33KV Pot Insulator	No.		21	21	-	65,489	65,489
7	D-Iron complete with Shackle Insulator	Set		144	144	-	69,984	69,984
8	HT Stay Assembly	Set		5	5	-	28,350	28,350
9	LT Stay Assembly	Set		21	21	-	119,070	119,070
10	11KV Wooden Cross Arm	No.		7	7	-	1,654	1,654
11	Channel Iron	No.		6	6	-	34,020	34,020
12	Disc Insulator 33KV	No.		27	27	-	76,545	76,545
13	6-Bolts Clamp	No.		9	9	-	12,758	12,758
14	J-Hook	No.		9	9	-	4,374	4,374
15	Socket Tongue	No.		9	9	-	4,374	4,374
16	Tie Bar	No.		14	14	-	6,010	6,010
17	Bolts, Nuts & Washers	No.		22	22	-	4,277	4,277
18	Land - Power Line	m ²		3,135	3,135	-	5,404,740	5,404,740
19	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	9,232,950	9,232,950



Local Government Area: Ado

Location: Ekiti State University, Ado Ekiti

Commission Date: 2006/2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		118	118	-	3,823,200	3,823,200
2	8.53m Reinforced Concrete Pole (LT)	No.		107	107	-	2,889,000	2,889,000
3	100mm ² AAC Aluminium Conductor	m		15,600	15,600	-	4,380,480	4,380,480
4	70mm ² AAC Aluminium Conductor	m		28,260	28,260	-	5,188,536	5,188,536
5	2.5MVA, 33/11/0.415 KV Transformer	No.		1	1	-	11,760,000	11,760,000
6	500KVA, 33/0.415KV Transformer	No.		2	2	-	7,776,000	7,776,000
7	300KVA, 11/0.415KV Transformer	No.		3	3	-	7,608,000	7,608,000
8	200KVA, 11/0.415KV Transformer	No.		1	1	-	1,472,000	1,472,000
9	33KV Pot Insulator	No.		72	72	-	299,376	299,376
10	11KV Pot Insulator	No.		204	204	-	484,704	484,704
11	D-Iron complete with Shackle Insulator	Set		624	624	-	404,352	404,352
12	HT Stay Assembly	Set		55	55	-	415,800	415,800
13	LT Stay Assembly	Set		47	47	-	355,320	355,320
14	33KV Wooden Cross Arm	No.		23	23	-	62,100	62,100
15	11KV Wooden Cross Arm	No.		69	69	-	130,410	130,410
16	Channel Iron	No.		29	29	-	219,240	219,240
17	Disc Insulator 33KV	No.		32	32	-	120,960	120,960
18	Disc Insulator 11KV	No.		45	45	-	170,100	170,100
19	6-Bolts Clamp	No.		45	45	-	85,050	85,050
20	J-Hook	No.		45	45	-	29,160	29,160
21	Socket Tongue	No.		45	45	-	29,160	29,160
22	Tie Bar	No.		184	184	-	105,322	105,322
23	Bolts, Nuts & Washers	No.		398	398	-	103,162	103,162
24	Land - Power Line	m ²		13,397	13,397	-	23,096,428	23,096,428
25	Land - Transformer Sub-Station	m ²		160	160	-	275,840	275,840
						-	71,283,699	71,283,699



Local Government Area: Ado

Location: Water Corporation/Dam Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		22	22	-	828,630	828,630
2	8.53m Reinforced Concrete Pole (LT)	No.		14	14	-	439,425	439,425
3	Low Tension (LT) Wooden Pole	No.		125	125	-	445,500	445,500
4	100mm ² AAC Aluminium Conductor	m		2,550	2,550	-	832,397	832,397
5	70mm ² AAC Aluminium Conductor	m		3,320	3,320	-	708,604	708,604
6	50mm ² AAC Aluminium Conductor	m		15,000	15,000	-	2,636,550	2,636,550
7	500KVA, 33/0.415KV Transformer	No.		2	2	-	9,039,600	9,039,600
8	33KV Pot Insulator	No.		42	42	-	203,014	203,014
9	D-Iron complete with Shackle Insulator	Set		556	556	-	418,835	418,835
10	33KV Line Isolator Switch Complete	Set		1	1	-	220,968	220,968
11	HT Stay Assembly	Set		14	14	-	123,039	123,039
12	LT Stay Assembly	Set		27	27	-	237,290	237,290
13	33KV Wooden Cross Arm	No.		14	14	-	75,600	75,600
14	Channel Iron	No.		10	10	-	87,885	87,885
15	Disc Insulator 33KV	No.		45	45	-	197,741	197,741
16	6-Bolts Clamp	No.		15	15	-	32,957	32,957
17	J-Hook	No.		15	15	-	11,300	11,300
18	Socket Tongue	No.		15	15	-	11,300	11,300
19	Tie Bar	No.		28	28	-	18,632	18,632
20	Bolts, Nuts & Washers	No.		42	42	-	12,655	12,655
21	Land - Power Line	m ²		8,146	8,146	-	14,043,704	14,043,704
22	Land - Transformer Sub-Station	m ²		32	32	-	55,168	55,168
						-	30,680,793	30,680,793



Local Government Area: Ado

Location: 132KV Road, Omisanjana

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		42	42	-	1,581,930	1,581,930
2	8.53m Reinforced Concrete Pole (LT)	No.		64	64	-	2,008,800	2,008,800
3	Low Tension (LT) Wooden Pole	No.		58	58	-	206,712	206,712
4	100mm ² AAC Aluminium Conductor	m		5,550	5,550	-	1,811,687	1,811,687
5	70mm ² AAC Aluminium Conductor	m		14,120	14,120	-	3,013,702	3,013,702
6	50mm ² AAC Aluminium Conductor	m		6,960	6,960	-	1,223,359	1,223,359
7	300KVA, 11/0.415KV Transformer	No.		2	2	-	5,896,200	5,896,200
8	11KV Pot Insulator	No.		96	96	-	265,162	265,162
9	D-Iron complete with Shackle Insulator	Set		688	688	-	518,270	518,270
10	HT Stay Assembly	Set		29	29	-	254,867	254,867
11	LT Stay Assembly	Set		44	44	-	386,694	386,694
12	11KV Wooden Cross Arm	No.		32	32	-	120,960	120,960
13	Channel Iron	No.		14	14	-	123,039	123,039
14	Disc Insulator 11KV	No.		30	30	-	131,828	131,828
15	6-Bolts Clamp	No.		30	30	-	65,914	65,914
16	J-Hook	No.		30	30	-	22,599	22,599
17	Socket Tongue	No.		30	30	-	22,599	22,599
18	Tie Bar	No.		64	64	-	42,587	42,587
19	Bolts, Nuts & Washers	No.		82	82	-	24,708	24,708
20	Land - Power Line	m ²		10,680	10,680	-	18,412,320	18,412,320
21	Land - Transformer Sub-Station	m ²		32	32	-	55,168	55,168
						-	36,189,103	36,189,103



Local Government Area: Ado

Location: Model Housing Estate

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		17	17	-	688,500	688,500
2	8.53m Reinforced Concrete Pole (LT)	No.		55	55	-	1,856,250	1,856,250
3	100mm ² AAC Aluminium Conductor	m		1,950	1,950	-	684,450	684,450
4	70mm ² AAC Aluminium Conductor	m		9,520	9,520	-	2,184,840	2,184,840
5	33KV Pot Insulator	No.		27	27	-	140,333	140,333
6	D-Iron complete with Shackle Insulator	Set		256	256	-	207,360	207,360
7	HT Stay Assembly	Set		10	10	-	94,500	94,500
8	LT Stay Assembly	Set		17	17	-	160,650	160,650
9	33KV Wooden Cross Arm	No.		9	9	-	60,750	60,750
10	Channel Iron	No.		8	8	-	75,600	75,600
11	Disc Insulator 33KV	No.		72	72	-	340,200	340,200
12	6-Bolts Clamp	No.		24	24	-	56,700	56,700
13	J-Hook	No.		24	24	-	19,440	19,440
14	Socket Tongue	No.		24	24	-	19,440	19,440
15	Tie Bar	No.		18	18	-	12,879	12,879
16	Bolts, Nuts & Washers	No.		44	44	-	14,256	14,256
17	Land - Power Line	m ²		4,545	4,545	-	7,835,580	7,835,580
						-	14,451,728	14,451,728



Local Government Area: Ado

Location: Olorunsogo Area/Quarters Ijadu Street

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		42	42	-	149,688	149,688
2	50mm ² AAC Aluminium Conductor	m		5,040	5,040	-	885,881	885,881
3	D-Iron complete with Shackle Insulator	Set		168	168	-	126,554	126,554
4	LT Stay Assembly	Set		15	15	-	131,828	131,828
5	Land - Power Line	m ²		1,890	1,890	-	3,258,360	3,258,360
						-	4,552,311	4,552,311



Local Government Area: Ado

Location: Ajobamidele Community

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		14	14	-	527,310	527,310
2	8.53m Reinforced Concrete Pole (LT)	No.		95	95	-	2,981,813	2,981,813
3	Low Tension (LT) Wooden Pole	No.		45	45	-	160,380	160,380
4	100mm ² AAC Aluminium Conductor	m		1,800	1,800	-	587,574	587,574
5	70mm ² AAC Aluminium Conductor	m		17,100	17,100	-	3,649,739	3,649,739
6	50mm ² AAC Aluminium Conductor	m		5,400	5,400	-	949,158	949,158
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
8	11KV Pot Insulator	No.		30	30	-	82,863	82,863
9	D-Iron complete with Shackle Insulator	Set		560	560	-	421,848	421,848
10	HT Stay Assembly	Set		6	6	-	52,731	52,731
11	LT Stay Assembly	Set		29	29	-	254,867	254,867
12	11KV Wooden Cross Arm	No.		10	10	-	37,800	37,800
13	Channel Iron	No.		6	6	-	52,731	52,731
14	Disc Insulator 11KV	No.		9	9	-	39,548	39,548
15	6-Bolts Clamp	No.		9	9	-	19,774	19,774
16	J-Hook	No.		9	9	-	6,780	6,780
17	Socket Tongue	No.		9	9	-	6,780	6,780
18	Tie Bar	No.		20	20	-	13,308	13,308
19	Bolts, Nuts & Washers	No.		48	48	-	14,463	14,463
20	Land - Power Line	m ²		9,337	9,337	-	16,096,988	16,096,988
21	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	30,355,038	30,355,038



Local Government Area: Ado

Location: Oke Oniyo & Oke Bola Quarters

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		9	9	-	328,050	328,050
2	8.53m Reinforced Concrete Pole (LT)	No.		20	20	-	607,500	607,500
3	Low Tension (LT) Wooden Pole	No.		11	11	-	34,304	34,304
4	100mm ² AAC Aluminium Conductor	m		1,050	1,050	-	331,695	331,695
5	70mm ² AAC Aluminium Conductor	m		3,600	3,600	-	743,580	743,580
6	50mm ² AAC Aluminium Conductor	m		1,320	1,320	-	224,532	224,532
7	300KVA, 11/0.415KV Transformer	No.		2	2	-	5,706,000	5,706,000
8	11KV Pot Insulator	No.		15	15	-	40,095	40,095
9	D-Iron complete with Shackle Insulator	Set		132	132	-	96,228	96,228
10	HT Stay Assembly	Set		8	8	-	68,040	68,040
11	LT Stay Assembly	Set		9	9	-	76,545	76,545
12	11KV Wooden Cross Arm	No.		4	4	-	13,230	13,230
13	Channel Iron	No.		6	6	-	51,030	51,030
14	Disc Insulator 11KV	No.		6	6	-	25,515	25,515
15	6-Bolts Clamp	No.		6	6	-	12,758	12,758
16	J-Hook	No.		6	6	-	4,374	4,374
17	Socket Tongue	No.		6	6	-	4,374	4,374
18	Tie Bar	No.		10	10	-	6,440	6,440
19	Bolts, Nuts & Washers	No.		26	26	-	7,582	7,582
20	Land - Power Line	m ²		2,370	2,370	-	4,085,880	4,085,880
21	Land - Transformer Sub-Station	m ²		32	32	-	55,168	55,168
						-	12,522,918	12,522,918



Local Government Area: Ado

Location: Ago-Aduloju Village

Commission Date: 1998

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		5	5	-	107,325	107,325
2	8.53m Reinforced Concrete Pole (LT)	No.		24	24	-	429,300	429,300
3	Low Tension (LT) Wooden Pole	No.		2	2	-	446	446
4	100mm ² AAC Aluminium Conductor	m		450	450	-	83,714	83,714
5	70mm ² AAC Aluminium Conductor	m		4,320	4,320	-	525,463	525,463
6	50mm ² AAC Aluminium Conductor	m		240	240	-	24,041	24,041
7	300KVA, 33/0.415KV Transformer	No.		1	1	-	1,886,800	1,886,800
8	33KV Pot Insulator	No.		3	3	-	8,264	8,264
9	D-Iron complete with Shackle Insulator	Set		104	104	-	44,647	44,647
10	HT Stay Assembly	Set		2	2	-	10,017	10,017
11	LT Stay Assembly	Set		10	10	-	50,085	50,085
12	33KV Wooden Cross Arm	No.		1	1	-	338	338
13	Channel Iron	No.		4	4	-	20,034	20,034
14	Disc Insulator 33KV	No.		9	9	-	22,538	22,538
15	6-Bolts Clamp	No.		6	6	-	7,513	7,513
16	J-Hook	No.		6	6	-	2,576	2,576
17	Socket Tongue	No.		6	6	-	2,576	2,576
18	Tie Bar	No.		2	2	-	758	758
19	Bolts, Nuts & Washers	No.		10	10	-	1,717	1,717
20	Land - Power Line	m ²		1,935	1,935	-	3,335,940	3,335,940
21	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	6,591,675	6,591,675



Local Government Area: Ado

Location: Falegan, Glorious Covenant Church Junction

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		9	9	-	328,050	328,050
2	8.53m Reinforced Concrete Pole (LT)	No.	7	25	32	212,625	759,375	972,000
3	100mm ² AAC Aluminium Conductor	m		1,050	1,050	-	331,695	331,695
4	70mm ² AAC Aluminium Conductor	m	1,260	5,300	6,560	260,253	1,094,715	1,354,968
5	300KVA, 11/0.415KV Transformer	No.		1	1	-	2,853,000	2,853,000
6	11KV Pot Insulator	No.		15	15	-	40,095	40,095
7	D-Iron complete with Shackle Insulator	Set	48	100	148	34,992	72,900	107,892
8	HT Stay Assembly	Set		7	7	-	59,535	59,535
9	LT Stay Assembly	Set	5	12	17	42,525	102,060	144,585
10	11KV Wooden Cross Arm	No.		5	5	-	16,538	16,538
11	Channel Iron	No.		5	5	-	42,525	42,525
12	Disc Insulator 11KV	No.		9	9	-	38,273	38,273
13	6-Bolts Clamp	No.		9	9	-	19,136	19,136
14	J-Hook	No.		9	9	-	6,561	6,561
15	Socket Tongue	No.		9	9	-	6,561	6,561
16	Tie Bar	No.		10	10	-	6,440	6,440
17	Bolts, Nuts & Washers	No.		26	26	-	7,582	7,582
18	Land - Power Line	m ²	472	2,512	2,984	813,728	4,330,688	5,144,416
19	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						1,364,123	10,143,311	11,507,434



Local Government Area: Ado

Location: Governor's Office Ado Ekiti

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		91	91	-	3,685,500	3,685,500
2	8.53m Reinforced Concrete Pole (LT)	No.		60	60	-	2,025,000	2,025,000
3	Low Tension (LT) Wooden Pole	No.		16	16	-	71,280	71,280
4	100mm ² AAC Aluminium Conductor	m		9,600	9,600	-	3,369,600	3,369,600
5	70mm ² AAC Aluminium Conductor	m		12,400	12,400	-	2,845,800	2,845,800
6	50mm ² AAC Aluminium Conductor	m		1,920	1,920	-	362,880	362,880
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,700,000	4,700,000
8	11KV Pot Insulator	No.		213	213	-	632,610	632,610
9	D-Iron complete with Shackle Insulator	Set		268	268	-	217,080	217,080
10	HT Stay Assembly	Set		39	39	-	368,550	368,550
11	LT Stay Assembly	Set		27	27	-	255,150	255,150
12	11KV Wooden Cross Arm	No.		46	46	-	217,350	217,350
13	Channel Iron	No.		43	43	-	406,350	406,350
14	Disc Insulator 11KV	No.		57	57	-	269,325	269,325
15	6-Bolts Clamp	No.		57	57	-	134,663	134,663
16	J-Hook	No.		57	57	-	46,170	46,170
17	Socket Tongue	No.		57	57	-	46,170	46,170
18	Tie Bar	No.		134	134	-	95,877	95,877
19	Bolts, Nuts & Washers	No.		292	292	-	94,608	94,608
20	Land - Power Line	m ²		10,170	10,170	-	17,533,080	17,533,080
21	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	37,404,627	37,404,627



Local Government Area: Ado

Location: Ita-Eku Along Igirigiri Road, Ado-Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		30	30	-	1,129,950	1,129,950
2	8.53m Reinforced Concrete Pole (LT)	No.		59	59	-	1,851,863	1,851,863
3	Low Tension (LT) Wooden Pole	No.		40	40	-	142,560	142,560
4	100mm ² AAC Aluminium Conductor	m		4,050	4,050	-	1,322,042	1,322,042
5	70mm ² AAC Aluminium Conductor	m		10,620	10,620	-	2,266,680	2,266,680
6	50mm ² AAC Aluminium Conductor	m		4,800	4,800	-	843,696	843,696
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
8	11KV Pot Insulator	No.		72	72	-	198,871	198,871
9	D-Iron complete with Shackle Insulator	Set		396	396	-	298,307	298,307
10	HT Stay Assembly	Set		15	15	-	131,828	131,828
11	LT Stay Assembly	Set		43	43	-	377,906	377,906
12	11KV Wooden Cross Arm	No.		24	24	-	90,720	90,720
13	Channel Iron	No.		8	8	-	70,308	70,308
14	Disc Insulator 11KV	No.		15	15	-	65,914	65,914
15	6-Bolts Clamp	No.		15	15	-	32,957	32,957
16	J-Hook	No.		15	15	-	11,300	11,300
17	Socket Tongue	No.		15	15	-	11,300	11,300
18	Tie Bar	No.		48	48	-	31,940	31,940
19	Bolts, Nuts & Washers	No.		104	104	-	31,337	31,337
20	Land - Power Line	m ²		7,807	7,807	-	13,459,268	13,459,268
21	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	26,767,328	26,767,328



Local Government Area: Ado

Location: Aso Community, Ado Ekiti

Commission Date: 1998

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		84	84	-	1,803,060	1,803,060
2	8.53m Reinforced Concrete Pole (LT)	No.		16	16	-	286,200	286,200
3	100mm ² AAC Aluminium Conductor	m		11,400	11,400	-	2,120,742	2,120,742
4	70mm ² AAC Aluminium Conductor	m		2,880	2,880	-	350,309	350,309
5	200KVA, 33/0.415KV Transformer	No.		1	1	-	1,208,400	1,208,400
6	33KV Pot Insulator	No.		210	210	-	578,482	578,482
7	D-Iron complete with Shackle Insulator	Set		64	64	-	27,475	27,475
8	HT Stay Assembly	Set		16	16	-	80,136	80,136
9	LT Stay Assembly	Set		7	7	-	35,060	35,060
10	33KV Wooden Cross Arm	No.		71	71	-	23,963	23,963
11	Channel Iron	No.		15	15	-	75,128	75,128
12	Disc Insulator 33KV	No.		108	108	-	270,459	270,459
13	6-Bolts Clamp	No.		36	36	-	45,077	45,077
14	J-Hook	No.		36	36	-	15,455	15,455
15	Socket Tongue	No.		36	36	-	15,455	15,455
16	Tie Bar	No.		142	142	-	53,849	53,849
17	Bolts, Nuts & Washers	No.		298	298	-	51,173	51,173
18	Land - Power Line	m ²		6,780	6,780	-	11,688,720	11,688,720
19	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	18,756,723	18,756,723



Local Government Area: Ado Location: Musibau Atanda Yusuf Housing Estate, Ado Ekiti.

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		10	10	-	364,500	364,500
2	8.53m Reinforced Concrete Pole (LT)	No.		80	80	-	2,430,000	2,430,000
3	100mm ² AAC Aluminium Conductor	m		1,200	1,200	-	379,080	379,080
4	70mm ² AAC Aluminium Conductor	m		14,400	14,400	-	2,974,320	2,974,320
5	500KVA, 33/0.415KV Transformer	No.		1	1	-	4,374,000	4,374,000
6	33KV Pot Insulator	No.		18	18	-	84,200	84,200
7	D-Iron complete with Shackle Insulator	Set		320	320	-	233,280	233,280
8	HT Stay Assembly	Set		8	8	-	68,040	68,040
9	LT Stay Assembly	Set		49	49	-	416,745	416,745
10	33KV Wooden Cross Arm	No.		6	6	-	28,350	28,350
11	Channel Iron	No.		6	6	-	51,030	51,030
12	Disc Insulator 33KV	No.		27	27	-	114,818	114,818
13	6-Bolts Clamp	No.		9	9	-	19,136	19,136
14	J-Hook	No.		9	9	-	6,561	6,561
15	Socket Tongue	No.		9	9	-	6,561	6,561
16	Tie Bar	No.		12	12	-	7,727	7,727
17	Bolts, Nuts & Washers	No.		30	30	-	8,748	8,748
18	Land - Power Line	m ²		6,000	6,000	-	10,344,000	10,344,000
19	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	21,938,680	21,938,680



Local Government Area: Ado

Location: Bisi Egbeyemi Crescent GRA Ado Ekiti

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		55	55	-	2,160,675	2,160,675
2	8.53m Reinforced Concrete Pole (LT)	No.		28	28	-	916,650	916,650
3	Low Tension (LT) Wooden Pole	No.		51	51	-	204,485	204,485
4	100mm ² AAC Aluminium Conductor	m		6,750	6,750	-	2,298,173	2,298,173
5	70mm ² AAC Aluminium Conductor	m		9,640	9,640	-	2,146,009	2,146,009
6	50mm ² AAC Aluminium Conductor	m		6,120	6,120	-	1,121,980	1,121,980
7	300KVA, 11/0.415KV Transformer	No.		2	2	-	6,149,800	6,149,800
8	200KVA, 11/0.415KV Transformer	No.		1	1	-	1,784,800	1,784,800
9	11KV Pot Insulator	No.		117	117	-	337,065	337,065
10	D-Iron complete with Shackle Insulator	Set		412	412	-	323,708	323,708
11	HT Stay Assembly	Set		27	27	-	247,496	247,496
12	LT Stay Assembly	Set		15	15	-	137,498	137,498
13	11KV Wooden Cross Arm	No.		38	38	-	161,595	161,595
14	Channel Iron	No.		21	21	-	192,497	192,497
15	Disc Insulator 11KV	No.		45	45	-	206,246	206,246
16	6-Bolts Clamp	No.		45	45	-	103,123	103,123
17	J-Hook	No.		45	45	-	35,357	35,357
18	Socket Tongue	No.		45	45	-	35,357	35,357
19	Tie Bar	No.		78	78	-	54,135	54,135
20	Bolts, Nuts & Washers	No.		160	160	-	50,285	50,285
21	Land - Power Line	m ²		9,285	9,285	-	16,007,340	16,007,340
22	Land - Transformer Sub-Station	m ²		48	48	-	82,752	82,752
						-	34,757,022	34,757,022



Local Government Area: Ado

Location: Irewolede Housing Estate, Ado-Ekiti

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		12	12	-	486,000	486,000
2	8.53m Reinforced Concrete Pole (LT)	No.		39	39	-	1,316,250	1,316,250
3	100mm ² AAC Aluminium Conductor	m		1,500	1,500	-	526,500	526,500
4	70mm ² AAC Aluminium Conductor	m		7,020	7,020	-	1,611,090	1,611,090
5	200KVA, 33/0.415KV Transformer	No.		1	1	-	2,280,000	2,280,000
6	33KV Pot Insulator	No.		21	21	-	109,148	109,148
7	D-Iron complete with Shackle Insulator	Set		156	156	-	126,360	126,360
8	HT Stay Assembly	Set		6	6	-	56,700	56,700
9	LT Stay Assembly	Set		22	22	-	207,900	207,900
10	33KV Wooden Cross Arm	No.		3	3	-	20,250	20,250
11	Channel Iron	No.		6	6	-	56,700	56,700
12	Disc Insulator 33KV	No.		27	27	-	127,575	127,575
13	6-Bolts Clamp	No.		9	9	-	21,263	21,263
14	J-Hook	No.		9	9	-	7,290	7,290
15	Socket Tongue	No.		9	9	-	7,290	7,290
16	Tie Bar	No.		14	14	-	10,017	10,017
17	Bolts, Nuts & Washers	No.		34	34	-	11,016	11,016
18	Land - Power Line	m ²		3,382	3,382	-	5,830,568	5,830,568
19	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	12,839,500	12,839,500



Local Government Area: Ado

Location: Legislature & Judiciary Quarters Ado-Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		10	10	-	376,650	376,650
2	8.53m Reinforced Concrete Pole (LT)	No.		22	22	-	690,525	690,525
3	Low Tension (LT) Wooden Pole	No.		3	3	-	10,692	10,692
4	100mm ² AAC Aluminium Conductor	m		1,200	1,200	-	391,716	391,716
5	70mm ² AAC Aluminium Conductor	m		4,960	4,960	-	1,058,638	1,058,638
6	50mm ² AAC Aluminium Conductor	m		360	360	-	63,277	63,277
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
8	11KV Pot Insulator	No.		18	18	-	49,718	49,718
9	D-Iron complete with Shackle Insulator	Set		120	120	-	90,396	90,396
10	HT Stay Assembly	Set		8	8	-	70,308	70,308
11	LT Stay Assembly	Set		5	5	-	43,943	43,943
12	11KV Wooden Cross Arm	No.		6	6	-	22,680	22,680
13	Channel Iron	No.		6	6	-	52,731	52,731
14	Disc Insulator 11KV	No.		9	9	-	39,548	39,548
15	6-Bolts Clamp	No.		9	9	-	19,774	19,774
16	J-Hook	No.		9	9	-	6,780	6,780
17	Socket Tongue	No.		9	9	-	6,780	6,780
18	Tie Bar	No.		12	12	-	7,985	7,985
19	Bolts, Nuts & Washers	No.		30	30	-	9,040	9,040
20	Land - Power Line	m ²		2,595	2,595	-	4,473,780	4,473,780
21	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	11,883,543	11,883,543



Local Government Area: Ado

Location: Secretariat Complex, Ado Ekiti

Commission Date: 1998

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		12	12	-	257,580	257,580
2	8.53m Reinforced Concrete Pole (LT)	No.		19	19	-	339,863	339,863
3	Low Tension (LT) Wooden Pole	No.		14	14	-	3,119	3,119
4	100mm ² AAC Aluminium Conductor	m		1,500	1,500	-	279,045	279,045
5	70mm ² AAC Aluminium Conductor	m		5,220	5,220	-	634,935	634,935
6	50mm ² AAC Aluminium Conductor	m		1,680	1,680	-	168,286	168,286
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,371,000	4,371,000
8	11KV Pot Insulator	No.		24	24	-	37,778	37,778
9	D-Iron complete with Shackle Insulator	Set		160	160	-	68,688	68,688
10	HT Stay Assembly	Set		6	6	-	30,051	30,051
11	LT Stay Assembly	Set		7	7	-	35,060	35,060
12	11KV Wooden Cross Arm	No.		8	8	-	1,890	1,890
13	Channel Iron	No.		6	6	-	30,051	30,051
14	Disc Insulator 11KV	No.		9	9	-	22,538	22,538
15	6-Bolts Clamp	No.		9	9	-	11,269	11,269
16	J-Hook	No.		9	9	-	3,864	3,864
17	Socket Tongue	No.		9	9	-	3,864	3,864
18	Tie Bar	No.		16	16	-	6,067	6,067
19	Bolts, Nuts & Washers	No.		40	40	-	6,869	6,869
20	Land - Power Line	m ²		3,337	3,337	-	5,752,988	5,752,988
21	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	12,092,387	12,092,387



Local Government Area: Ado

Location: Fayose Housing Estate, afao Rd Ado Ekiti

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		24	24	-	942,840	942,840
2	8.53m Reinforced Concrete Pole (LT)	No.		69	69	-	2,258,888	2,258,888
3	100mm ² AAC Aluminium Conductor	m		3,000	3,000	-	1,021,410	1,021,410
4	70mm ² AAC Aluminium Conductor	m		12,420	12,420	-	2,764,878	2,764,878
5	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,559,000	4,559,000
6	11KV Pot Insulator	No.		48	48	-	138,283	138,283
7	D-Iron complete with Shackle Insulator	Set		276	276	-	216,853	216,853
8	HT Stay Assembly	Set		17	17	-	155,831	155,831
9	11KV Wooden Cross Arm	No.		16	16	-	68,040	68,040
10	Channel Iron	No.		10	10	-	91,665	91,665
11	Disc Insulator 11KV	No.		21	21	-	96,248	96,248
12	6-Bolts Clamp	No.		21	21	-	48,124	48,124
13	J-Hook	No.		21	21	-	16,500	16,500
14	Socket Tongue	No.		21	21	-	16,500	16,500
15	Tie Bar	No.		32	32	-	22,209	22,209
16	Bolts, Nuts & Washers	No.		76	76	-	23,885	23,885
17	Land - Power Line	m ²		6,157	6,157	-	10,614,668	10,614,668
18	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	23,083,406	23,083,406



Local Government Area: Ado

Location: Mofere Area

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		31	31	-	1,129,950	1,129,950
2	8.53m Reinforced Concrete Pole (LT)	No.		65	65	-	1,974,375	1,974,375
3	Low Tension (LT) Wooden Pole	No.		19	19	-	59,252	59,252
4	100mm ² AAC Aluminium Conductor	m		4,050	4,050	-	1,279,395	1,279,395
5	70mm ² AAC Aluminium Conductor	m		14,700	14,700	-	3,036,285	3,036,285
6	50mm ² AAC Aluminium Conductor	m		2,280	2,280	-	387,828	387,828
7	500KVA, 11/0.415KV Transformer	No.		2	2	-	8,460,000	8,460,000
8	11KV Pot Insulator	No.		63	63	-	168,399	168,399
9	D-Iron complete with Shackle Insulator	Set		380	380	-	277,020	277,020
10	HT Stay Assembly	Set		6	6	-	51,030	51,030
11	LT Stay Assembly	Set		23	23	-	195,615	195,615
12	11KV Wooden Cross Arm	No.		21	21	-	69,458	69,458
13	Channel Iron	No.		12	12	-	102,060	102,060
14	Disc Insulator 11KV	No.		27	27	-	114,818	114,818
15	6-Bolts Clamp	No.		27	27	-	57,409	57,409
16	J-Hook	No.		27	27	-	19,683	19,683
17	Socket Tongue	No.		27	27	-	19,683	19,683
18	Tie Bar	No.		42	42	-	27,046	27,046
19	Bolts, Nuts & Washers	No.		98	98	-	28,577	28,577
20	Land - Power Line	m ²		8,392	8,392	-	14,467,808	14,467,808
21	Land - Transformer Sub-Station	m ²		32	32	-	55,168	55,168
						-	31,980,857	31,980,857



Local Government Area: Ado

Location: Covenant Area Ado Ekiti

Commission Date: 2008

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		17	17	-	598,995	598,995
2	8.53m Reinforced Concrete Pole (LT)	No.		22	22	-	645,975	645,975
3	Low Tension (LT) Wooden Pole	No.		32	32	-	85,536	85,536
4	100mm ² AAC Aluminium Conductor	m		2,100	2,100	-	641,277	641,277
5	70mm ² AAC Aluminium Conductor	m		6,060	6,060	-	1,209,970	1,209,970
6	50mm ² AAC Aluminium Conductor	m		3,840	3,840	-	631,411	631,411
7	500KVA, 33/0.415KV Transformer	No.		1	1	-	4,228,200	4,228,200
8	33KV Pot Insulator	No.		33	33	-	149,220	149,220
9	D-Iron complete with Shackle Insulator	Set		216	216	-	152,215	152,215
10	HT Stay Assembly	Set		11	11	-	90,437	90,437
11	LT Stay Assembly	Set		16	16	-	131,544	131,544
12	11KV Wooden Cross Arm	No.		11	11	-	31,185	31,185
13	Channel Iron	No.		8	8	-	65,772	65,772
14	Disc Insulator 33KV	No.		45	45	-	184,984	184,984
15	6-Bolts Clamp	No.		15	15	-	30,831	30,831
16	J-Hook	No.		15	15	-	10,571	10,571
17	Socket Tongue	No.		15	15	-	10,571	10,571
18	Tie Bar	No.		22	22	-	13,695	13,695
19	Bolts, Nuts & Washers	No.		54	54	-	15,222	15,222
20	Land - Power Line	m ²		3,712	3,712	-	6,399,488	6,399,488
21	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	15,354,681	15,354,681



Local Government Area: Ado Location: Shelter View City Housing estate, Afao Road, Ado Ekiti

Commission Date: 2011/2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		42	42	-	1,649,970	1,649,970
2	8.53m Reinforced Concrete Pole (LT)	No.		55	55	-	1,800,563	1,800,563
3	150mm ² ACSR Aluminium Conductor	m		35	35	-	16,958	16,958
4	100mm ² AAC Aluminium Conductor	m		5,550	5,550	-	1,889,609	1,889,609
5	70mm ² AAC Aluminium Conductor	m		10,950	10,950	-	2,437,634	2,437,634
6	50mm ² AAC Aluminium Conductor	m		4,200	4,200	-	769,986	769,986
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,559,000	4,559,000
8	300KVA, 11/0.415KV Transformer	No.		1	1	-	3,074,900	3,074,900
9	11KV Pot Insulator	No.		96	96	-	276,566	276,566
10	D-Iron complete with Shackle Insulator	Set		360	360	-	282,852	282,852
11	HT Stay Assembly	Set		27	27	-	247,496	247,496
12	LT Stay Assembly	Set		46	46	-	421,659	421,659
13	11KV Wooden Cross Arm	No.		32	32	-	136,080	136,080
14	Channel Iron	No.		16	16	-	146,664	146,664
15	Disc Insulator 11KV	No.		24	24	-	109,998	109,998
16	6-Bolts Clamp	No.		24	24	-	54,999	54,999
17	J-Hook	No.		24	24	-	18,857	18,857
18	Socket Tongue	No.		24	24	-	18,857	18,857
19	Tie Bar	No.		64	64	-	44,418	44,418
20	Bolts, Nuts & Washers	No.		148	148	-	46,513	46,513
21	Land - Power Line	m ²		8,456	8,456	-	14,578,144	14,578,144
22	Land - Transformer Sub-Station	m ²		32	32	-	55,168	55,168
						-	32,636,890	32,636,890



Local Government Area: Ado

Location: MNPC Tugere Filling Station Ado Ekiti

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	78,570	78,570
2	High Tension (HT) Wooden Pole	No.		300	300	-	2,004,750	2,004,750
3	100KVA, 11/0.415KV Transformer	No.		1	1	-	1,096,100	1,096,100
4	HT Stay Assembly	Set		2	2	-	18,333	18,333
5	Channel Iron	No.		4	4	-	36,666	36,666
6	Disc Insulator 33KV	No.		9	9	-	41,249	41,249
7	6-Bolts Clamp	No.		3	3	-	6,875	6,875
8	J-Hook	No.		3	3	-	2,357	2,357
9	Socket Tongue	No.		3	3	-	2,357	2,357
10	Bolts, Nuts & Washers	No.		6	6	-	1,886	1,886
11	Land - Power Line	m ²		20,250	20,250	-	34,911,000	34,911,000
12	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	38,227,727	38,227,727



Local Government Area: Ado

Location: Oluwatedo Area

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		57	57	-	203,148	203,148
2	50mm ² AAC Aluminium Conductor	m		6,840	6,840	-	1,202,267	1,202,267
3	D-Iron complete with Shackle Insulator	Set		228	228	-	171,752	171,752
4	LT Stay Assembly	Set		18	18	-	158,193	158,193
5	Land - Power Line	m ²		2,565	3,847	-	4,422,060	4,422,060
						-	6,157,420	6,157,420



Local Government Area: Ado

Location: Fiyinfolu Housing Estate Road II and III

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		27	27	-	96,228	96,228
2	50mm ² AAC Aluminium Conductor	m		3,240	3,240	-	569,495	569,495
3	D-Iron complete with Shackle Insulator	Set		108	108	-	81,356	81,356
4	LT Stay Assembly	Set		9	9	-	79,097	79,097
5	Land - Power Line	m ²		1,215	1,215	-	2,094,660	2,094,660
						-	2,920,836	2,920,836



Local Government Area: Ado

Location: Omisanjana Junction Ado-Ekiti

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		17	17	-	667,845	667,845
2	8.53m Reinforced Concrete Pole (LT)	No.		19	19	-	622,013	622,013
3	Low Tension (LT) Wooden Pole	No.		52	52	-	208,494	208,494
4	100mm ² AAC Aluminium Conductor	m		2,250	2,250	-	766,058	766,058
5	70mm ² AAC Aluminium Conductor	m		7,920	7,920	-	1,763,111	1,763,111
6	50mm ² AAC Aluminium Conductor	m		6,240	6,240	-	1,143,979	1,143,979
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,559,000	4,559,000
8	11KV Pot Insulator	No.		39	39	-	112,355	112,355
9	D-Iron complete with Shackle Insulator	Set		372	372	-	292,280	292,280
10	HT Stay Assembly	Set		9	9	-	82,499	82,499
11	LT Stay Assembly	Set		37	37	-	339,161	339,161
12	11KV Wooden Cross Arm	No.		13	13	-	55,283	55,283
13	Channel Iron	No.		6	6	-	54,999	54,999
14	Disc Insulator 11KV	No.		9	9	-	41,249	41,249
15	6-Bolts Clamp	No.		9	9	-	20,625	20,625
16	J-Hook	No.		9	9	-	7,071	7,071
17	Socket Tongue	No.		9	9	-	7,071	7,071
18	Tie Bar	No.		26	26	-	18,045	18,045
19	Bolts, Nuts & Washers	No.		60	60	-	18,857	18,857
20	Land - Power Line	m ²		6435	6,435	-	11,093,940	11,093,940
21	Land - Transformer Sub-Station	m ²		16		-	27,584	27,584
						-	21,901,517	21,901,517



Local Government Area: Ado

Location: Tinumola College Area Ado

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		18	18	-	677,970	677,970
2	8.53m Reinforced Concrete Pole (LT)	No.		52	52	-	1,632,150	1,632,150
3	100mm ² AAC Aluminium Conductor	m		2,100	2,100	-	685,503	685,503
4	70mm ² AAC Aluminium Conductor	m		10,160	10,160	-	2,168,500	2,168,500
5	300KVA, 11/0.415KV Transformer	No.		1	1	-	2,948,100	2,948,100
6	11KV Pot Insulator	No.		30	30	-	82,863	82,863
7	D-Iron complete with Shackle Insulator	Set		228	228	-	171,752	171,752
8	HT Stay Assembly	Set		12	12	-	105,462	105,462
9	LT Stay Assembly	Set		28	28	-	246,078	246,078
10	11KV Wooden Cross Arm	No.		10	10	-	37,800	37,800
11	Channel Iron	No.		8	8	-	70,308	70,308
12	Disc Insulator 11KV	No.		21	21	-	92,279	92,279
13	6-Bolts Clamp	No.		21	21	-	46,140	46,140
14	J-Hook	No.		21	21	-	15,819	15,819
15	Socket Tongue	No.		21	21	-	15,819	15,819
16	Tie Bar	No.		20	20	-	13,308	13,308
17	Bolts, Nuts & Washers	No.		72	72	-	21,695	21,695
18	Land - Power Line	m ²		4,860	4,860	-	8,378,640	8,378,640
19	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	17,437,771	17,437,771



Local Government Area: Ado

Location: Bamigboye area Ado

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	72,900	72,900
2	Low Tension (LT) Wooden Pole	No.		27	27	-	84,200	84,200
3	50mm ² AAC Aluminium Conductor	m		3,240	3,240	-	551,124	551,124
4	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,230,000	4,230,000
5	D-Iron complete with Shackle Insulator	Set		108	108	-	78,732	78,732
6	HT Stay Assembly	Set		2	2	-	17,010	17,010
7	LT Stay Assembly	Set		10	10	-	85,050	85,050
8	Channel Iron	No.		4	4	-	34,020	34,020
9	Disc Insulator 11KV	No.		3	3	-	12,758	12,758
10	6-Bolts Clamp	No.		3	3	-	6,379	6,379
11	J-Hook	No.		3	3	-	2,187	2,187
12	Socket Tongue	No.		3	3	-	2,187	2,187
13	Bolts, Nuts & Washers	No.		6	6	-	1,750	1,750
14	Land - Power Line	m ²		1,215	1,215	-	2,094,660	2,094,660
15	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	7,300,539	7,300,539



Local Government Area: Ado

Location: Fayose Market Ado

Commission Date: 2004

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		2	2	-	59,130	59,130
2	8.53m Reinforced Concrete Pole (LT)	No.		27	27	-	665,213	665,213
3	100mm ² AAC Aluminium Conductor	m		300	300	-	76,869	76,869
4	70mm ² AAC Aluminium Conductor	m		4,860	4,860	-	814,220	814,220
5	300KVA, 11/0.415KV Transformer	No.		1	1	-	2,314,100	2,314,100
6	D-Iron complete with Shackle Insulator	Set		108	108	-	63,860	63,860
7	HT Stay Assembly	Set		3	3	-	20,696	20,696
8	LT Stay Assembly	Set		2	2	-	13,797	13,797
9	11KV Wooden Cross Arm	No.		1	1	-	945	945
10	Channel Iron	No.		4	4	-	27,594	27,594
11	Disc Insulator 11KV	No.		3	3	-	10,348	10,348
12	6-Bolts Clamp	No.		3	3	-	5,174	5,174
13	J-Hook	No.		3	3	-	1,774	1,774
14	Socket Tongue	No.		3	3	-	1,774	1,774
15	Bolts, Nuts & Washers	No.		6	6	-	1,419	1,419
16	Land - Power Line	m ²		1,972	1,972	-	3,399,728	3,399,728
17	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	7,504,224	7,504,224



Local Government Area: Ado

Location: Olujoda Area, Rasaki Oseni

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	8.53m Reinforced Concrete Pole (LT)	No.		13	13	-	408,038	408,038
2	Low Tension (LT) Wooden Pole	No.		32	32	-	114,048	114,048
3	70mm ² AAC Aluminium Conductor	m		2,340	2,340	-	499,438	499,438
4	50mm ² AAC Aluminium Conductor	m		3,840	3,840	-	674,957	674,957
5	11KV Pot Insulator	No.		33	33	-	91,149	91,149
6	D-Iron complete with Shackle Insulator	Set		180	180	-	135,594	135,594
7	LT Stay Assembly	Set		9	9	-	79,097	79,097
8	11KV Wooden Cross Arm	No.		11	11	-	41,580	41,580
9	Channel Iron	No.		2	2	-	17,577	17,577
10	Disc Insulator 11KV	No.		6	6	-	26,366	26,366
11	6-Bolts Clamp	No.		6	6	-	13,183	13,183
12	J-Hook	No.		6	6	-	4,520	4,520
13	Socket Tongue	No.		6	6	-	4,520	4,520
14	Tie Bar	No.		22	22	-	14,639	14,639
15	Bolts, Nuts & Washers	No.		46	46	-	13,861	13,861
16	Land - Power Line	m ²		2,610	2,610	-	4,499,640	4,499,640
						-	6,638,205	6,638,205



Local Government Area: Ado

Location: Basiri area Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.		28	28	-	99,792	99,792
2	50mm ² AAC Aluminium Conductor	m		3,360	3,360	-	590,587	590,587
3	D-Iron complete with Shackle Insulator	Set		112	112	-	84,370	84,370
4	LT Stay Assembly	Set		6	6	-	52,731	52,731
5	Land - Power Line	m ²		1,260	1,260	-	2,172,240	2,172,240
						-	2,999,720	2,999,720



Local Government Area: Ado

Location: Hope Avenue/Ibilola Hotel Area

Commission Date: 2010/2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		7	7	-	274,995	274,995
2	8.53m Reinforced Concrete Pole (LT)	No.		21	21	-	687,488	687,488
3	Low Tension (LT) Wooden Pole	No.		41	41	-	164,390	164,390
4	100mm ² AAC Aluminium Conductor	m		900	900	-	306,423	306,423
5	70mm ² AAC Aluminium Conductor	m		1,780	1,780	-	396,255	396,255
6	50mm ² AAC Aluminium Conductor	m		4,920	4,920	-	901,984	901,984
7	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,559,000	4,559,000
8	33KV Pot Insulator	No.		15	15	-	75,624	75,624
9	D-Iron complete with Shackle Insulator	Set		268	268	-	210,568	210,568
10	HT Stay Assembly	Set		4	4	-	36,666	36,666
11	LT Stay Assembly	Set		19	19	-	174,164	174,164
12	11KV Wooden Cross Arm	No.		3	3	-	12,758	12,758
13	Channel Iron	No.		5	5	-	45,833	45,833
14	Disc Insulator 11KV	No.		21	21	-	96,248	96,248
15	Land - Power Line	m ²		4,087	4,087	-	7,045,988	7,045,988
16	Land - Transformer Sub-Station	m ²		16	16	-	27,584	27,584
						-	15,015,964	15,015,964



Location: 33KV Extension Line From Ekiti State University
Ado Ekiti

Local Government Area: Ado

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		246	246	-	9,664,110	9,664,110
2	100mm ² AAC Aluminium Conductor	m		32,100	32,100	-	10,929,087	10,929,087
3	33KV Pot Insulator	No.		546	546	-	2,752,700	2,752,700
4	HT Stay Assembly	Set		113	113	-	1,035,815	1,035,815
5	11KV Wooden Cross Arm	No.		182	182	-	773,955	773,955
6	Channel Iron	No.		64	64	-	586,656	586,656
7	Disc Insulator 33KV	No.		576	576	-	2,639,952	2,639,952
8	6-Bolts Clamp	No.		192	192	-	439,992	439,992
9	J-Hook	No.		192	192	-	150,854	150,854
10	Socket Tongue	No.		192	192	-	150,854	150,854
11	Tie Bar	No.		364	364	-	252,629	252,629
12	Bolts, Nuts & Washers	No.		760	760	-	238,853	238,853
13	Land - Power Line	m ²		16,050	16,050	-	27,670,200	27,670,200
						-	57,285,657	57,285,657



Local Government Area: Ado

Location: Ekute Area

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	8		8	324,000	-	324,000
2	8.53m Reinforced Concrete Pole (LT)	No.	24		24	810,000	-	810,000
3	Low Tension (LT) Wooden Pole	No.	6		6	26,730	-	26,730
4	100mm ² AAC Aluminium Conductor	m	900		900	315,900	-	315,900
5	70mm ² AAC Aluminium Conductor	m	4,320		4,320	991,440	-	991,440
6	50mm ² AAC Aluminium Conductor	m	720		720	136,080	-	136,080
7	300KVA, 11/0.415KV Transformer	No.	1		1	3,170,000	-	3,170,000
8	11KV Pot Insulator	No.	12		12	35,640	-	35,640
9	D-Iron complete with Shackle Insulator	Set	120		120	97,200	-	97,200
10	HT Stay Assembly	Set	7		7	66,150	-	66,150
11	LT Stay Assembly	Set	9		9	85,050	-	85,050
12	Channel Iron	No.	6		6	56,700	-	56,700
13	Disc Insulator 11KV	No.	9		9	42,525	-	42,525
14	6-Bolts Clamp	No.	9		9	21,263	-	21,263
15	J-Hook	No.	9		9	7,290	-	7,290
16	Socket Tongue	No.	9		9	7,290	-	7,290
17	Tie Bar	No.	8		8	5,724	-	5,724
18	Bolts, Nuts & Washers	No.	32		24	10,368	-	10,368
19	Land - Power Line	m ²	2,340		2,340	4,034,160	-	4,034,160
20	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						10,271,094	-	10,271,094



Local Government Area: Ado

Location: Ekute III Ado

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	7		7	283,500	-	283,500
2	8.53m Reinforced Concrete Pole (LT)	No.	2		2	67,500	-	67,500
3	100mm ² ACSR Aluminium Conductor	m	750		750	354,375	-	354,375
4	75mm ² ACSR Aluminium Conductor	m	360		360	87,480	-	87,480
5	Line Earthing	No.	3		3	60,750	-	60,750
6	11KV Pot Insulator	No.	9		9	26,730	-	26,730
7	D-Iron complete with Shackle Insulator	Set	8		8	6,480	-	6,480
8	HT Stay Assembly	Set	6		6	56,700	-	56,700
9	LT Stay Assembly	Set	1		1	9,450	-	9,450
10	Galvanised Iron (G.I) Cross Arm	No.	3		3	28,350	-	28,350
11	Channel Iron	No.	6		6	56,700	-	56,700
12	Disc Insulator 11KV	No.	9		9	42,525	-	42,525
13	6-Bolts Clamp	No.	9		9	21,263	-	21,263
14	J-Hook	No.	9		9	7,290	-	7,290
15	Socket Tongue	No.	9		9	7,290	-	7,290
16	Tie Bar	No.	6		6	4,293	-	4,293
17	Bolts, Nuts & Washers	No.	20		20	6,480	-	6,480
18	Land - Power Line	m ²	510		510	879,240	-	879,240
19	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						2,033,980	-	2,033,980



Local Government Area: Ado

Location: Taiwo Fasugba

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	8.53m Reinforced Concrete Pole (LT)	No.	13		13	394,875	-	394,875
2	70mm ² AAC Aluminium Conductor	m	2,340		2,340	483,327	-	483,327
3	D-Iron complete with Shackle Insulator	Set	52		52	37,908	-	37,908
4	LT Stay Assembly	Set	6		6	51,030	-	51,030
5	Land - Power Line	m ²	877		877	1,511,948	-	1,511,948
						2,479,088	-	2,479,088



Local Government Area: Ado

Location: Surulere Street/Embassy

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	12		12	486,000	-	486,000
2	100mm ² AAC Aluminium Conductor	m	1,350		1,350	473,850	-	473,850
3	11KV Pot Insulator	No.	24		24	71,280	-	71,280
4	HT Stay Assembly	Set	7		7	66,150	-	66,150
5	Channel Iron	No.	8		8	75,600	-	75,600
6	Disc Insulator 11KV	No.	12		12	56,700	-	56,700
7	6-Bolts Clamp	No.	12		12	28,350	-	28,350
8	J-Hook	No.	12		12	9,720	-	9,720
9	Socket Tongue	No.	12		12	9,720	-	9,720
10	Tie Bar	No.	16		16	11,448	-	11,448
11	Bolts, Nuts & Washers	No.	60		60	19,440	-	19,440
12	Land - Power Line	m ²	675		675	1,163,700	-	1,163,700
						2,471,958	-	2,471,958



Local Government Area: Ado

Location: Taiwo Fasugba Junction, Agric Road

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	2		2	72,900	-	72,900
2	100mm ² AAC Aluminium Conductor	m	150		150	47,385	-	47,385
3	300KVA, 11/0.415KV Transformer	No.	1		1	2,853,000	-	2,853,000
4	HT Stay Assembly	Set	2		2	17,010	-	17,010
5	Channel Iron	No.	4		4	34,020	-	34,020
6	6-Bolts Clamp	No.	3		3	6,379	-	6,379
7	J-Hook	No.	3		3	2,187	-	2,187
8	Socket Tongue	No.	3		3	2,187	-	2,187
9	Bolts, Nuts & Washers	No.	6		6	1,750	-	1,750
10	Land - Power Line	m ²	75		75	129,300	-	129,300
11	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						3,193,701	-	3,193,701



Local Government Area: Ado

Location: Surulere Community / Basiri Area Ado

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	7		7	283,500	-	283,500
2	Low Tension (LT) Wooden Pole	No.	23		23	102,465	-	102,465
3	100mm ² AAC Aluminium Conductor	m	900		900	315,900	-	315,900
4	70mm ² AAC Aluminium Conductor	m	2,760		2,760	633,420	-	633,420
5	Line Earthing	No.	5		5	101,250	-	101,250
6	11KV Pot Insulator	No.	15		15	44,550	-	44,550
7	D-Iron complete with Shackle Insulator	Set	92		92	74,520	-	74,520
8	HT Stay Assembly	Set	3		3	28,350	-	28,350
9	LT Stay Assembly	Set	3		3	28,350	-	28,350
10	Galvanised Iron (G.I) Cross Arm	No.	5		5	47,250	-	47,250
11	Channel Iron	No.	4		4	37,800	-	37,800
12	Disc Insulator 11KV	No.	3		3	14,175	-	14,175
13	6-Bolts Clamp	No.	3		3	7,088	-	7,088
14	J-Hook	No.	3		3	2,430	-	2,430
15	Socket Tongue	No.	3		3	2,430	-	2,430
16	Tie Bar	No.	10		10	7,155	-	7,155
17	Bolts, Nuts & Washers	No.	26		26	8,424	-	8,424
18	Land - Power Line	m ²	1,485		1,485	2,560,140	-	2,560,140
19	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						4,326,781	-	4,326,781



Local Government Area: Ado

Location: Ifelere Quarters/ Yin Baba Guest House

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	27		27	984,150	-	984,150
2	8.53m Reinforced Concrete Pole (LT)	No.	18		18	546,750	-	546,750
3	Low Tension (LT) Wooden Pole	No.	45		45	140,333	-	140,333
4	100mm ² AAC Aluminium Conductor	m	4,800		4,800	1,516,320	-	1,516,320
5	70mm ² AAC Aluminium Conductor	m	3,240		3,240	669,222	-	669,222
6	50mm ² AAC Aluminium Conductor	m	5,400		5,400	918,540	-	918,540
7	500KVA, 11/0.415KV Transformer	No.	1		1	4,230,000	-	4,230,000
8	Line Earthing	No.	21		21	382,725	-	382,725
9	11KV Pot Insulator	No.	63		63	168,399	-	168,399
10	D-Iron complete with Shackle Insulator	Set	252		252	183,708	-	183,708
11	HT Stay Assembly	Set	20		20	170,100	-	170,100
12	LT Stay Assembly	Set	22		22	187,110	-	187,110
13	Galvanised Iron (G.I) Cross Arm	No.	21		21	178,605	-	178,605
14	Channel Iron	No.	8		8	68,040	-	68,040
15	Disc Insulator 11KV	No.	15		15	63,788	-	63,788
16	6-Bolts Clamp	No.	15		15	31,894	-	31,894
17	J-Hook	No.	15		15	10,935	-	10,935
18	Socket Tongue	No.	15		15	10,935	-	10,935
19	Tie Bar	No.	42		42	27,046	-	27,046
20	Bolts, Nuts & Washers	No.	94		94	27,410	-	27,410
21	Land - Power Line	m ²	5,640		5,640	9,723,360	-	9,723,360
22	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						20,266,953	-	20,266,953



Local Government Area: Ado

Location: Idofin & Ekute, Opp Police Station

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	4		4	150,660	-	150,660
2	8.53m Reinforced Concrete Pole (LT)	No.	9		9	282,488	-	282,488
3	100mm ² AAC Aluminium Conductor	m	300		300	97,929	-	97,929
4	70mm ² AAC Aluminium Conductor	m	1,620		1,620	345,765	-	345,765
5	300KVA, 11/0.415KV Transformer	No.	1		1	2,948,100	-	2,948,100
6	200KVA, 11/0.415KV Transformer	No.	1		1	1,711,200	-	1,711,200
7	D-Iron complete with Shackle Insulator	Set	27		27	20,339	-	20,339
8	HT Stay Assembly	Set	4		4	35,154	-	35,154
9	LT Stay Assembly	Set	3		3	26,366	-	26,366
10	Channel Iron	No.	6		6	52,731	-	52,731
11	Disc Insulator 11KV	No.	6		6	26,366	-	26,366
12	6-Bolts Clamp	No.	6		6	13,183	-	13,183
13	J-Hook	No.	6		6	4,520	-	4,520
14	Socket Tongue	No.	6		6	4,520	-	4,520
15	Bolts, Nuts & Washers	No.	8		8	2,411	-	2,411
16	Land - Power Line	m ²	757		757	1,305,068	-	1,305,068
17	Land - Transformer Sub-Station	m ²	32		32	55,168	-	55,168
						7,081,965	-	7,081,965



Local Government Area: Ado

Location: Falegan Estate Ward II

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	8.53m Reinforced Concrete Pole (LT)	No.	24		24	785,700	-	785,700
2	70mm ² AAC Aluminium Conductor	m	4,320		4,320	961,697	-	961,697
3	D-Iron complete with Shackle Insulator	Set	96		96	75,427	-	75,427
4	LT Stay Assembly	Set	10		10	91,665	-	91,665
5	Land - Power Line	m ²	1,620		1,620	2,792,880	-	2,792,880
						4,707,369	-	4,707,369



Local Government Area: Ado

Location: Idolofin/Idemo Street Ado Ekiti

Commission Date: 2007

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	2		2	67,230	-	67,230
2	8.53m Reinforced Concrete Pole (LT)	No.	10		10	280,125	-	280,125
3	Low Tension (LT) Wooden Pole	No.	6		6	13,365	-	13,365
4	70mm ² AAC Aluminium Conductor	m	1,800		1,800	342,873	-	342,873
5	50mm ² AAC Aluminium Conductor	m	720		720	112,946	-	112,946
6	200KVA, 11/0.415KV Transformer	No.	1		1	1,527,200	-	1,527,200
7	D-Iron complete with Shackle Insulator	Set	64		64	43,027	-	43,027
8	HT Stay Assembly	Set	2		2	15,687	-	15,687
9	LT Stay Assembly	Set	3		3	23,531	-	23,531
10	Channel Iron	No.	4		4	31,374	-	31,374
11	Disc Insulator 11KV	No.	3		3	11,765	-	11,765
12	6-Bolts Clamp	No.	3		3	5,883	-	5,883
13	J-Hook	No.	3		3	2,017	-	2,017
14	Socket Tongue	No.	3		3	2,017	-	2,017
15	Bolts, Nuts & Washers	No.	6		6	1,614	-	1,614
16	Land - Power Line	m ²	945		945	1,629,180	-	1,629,180
17	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						4,137,417	-	4,137,417



Local Government Area: Ado

Location: Idolofin, St. David A/C N/P School Junction, Ado

Commission Date: 2009

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	9		9	328,050	-	328,050
2	100mm ² AAC Aluminium Conductor	m	1,200		1,200	379,080	-	379,080
3	200KVA, 11/0.415KV Transformer	No.	1		1	1,656,000	-	1,656,000
4	Line Earthing	No.	5		5	91,125	-	91,125
5	11KV Pot Insulator	No.	12		12	32,076	-	32,076
6	HT Stay Assembly	Set	6		6	51,030	-	51,030
7	Galvanised Iron (G.I) Cross Arm	No.	5		5	42,525	-	42,525
8	Channel Iron	No.	6		6	51,030	-	51,030
9	Disc Insulator 11KV	No.	3		3	12,758	-	12,758
10	6-Bolts Clamp	No.	3		3	6,379	-	6,379
11	J-Hook	No.	3		3	2,187	-	2,187
12	Socket Tongue	No.	3		3	2,187	-	2,187
13	Tie Bar	No.	10		10	6,440	-	6,440
14	Bolts, Nuts & Washers	No.	28		28	8,165	-	8,165
15	Land - Power Line	m ²	600		600	1,034,400	-	1,034,400
16	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						3,731,015	-	3,731,015



Local Government Area: Ado

Location: Rose Bud N/P School Area Oke Ila, Ado Ekiti

Commission Date: 2010

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	2		2	75,330	-	75,330
2	Low Tension (LT) Wooden Pole	No.	13		13	46,332	-	46,332
3	70mm ² AAC Aluminium Conductor	m	2,340		2,340	499,438	-	499,438
4	300KVA, 11/0.415KV Transformer	No.	1		1	2,948,100	-	2,948,100
5	D-Iron complete with Shackle Insulator	Set	52		52	39,172	-	39,172
6	HT Stay Assembly	Set	2		2	17,577	-	17,577
7	LT Stay Assembly	Set	7		7	61,520	-	61,520
8	Channel Iron	No.	4		4	35,154	-	35,154
9	Disc Insulator 11KV	No.	3		3	13,183	-	13,183
10	6-Bolts Clamp	No.	3		3	6,591	-	6,591
11	J-Hook	No.	3		3	2,260	-	2,260
12	Socket Tongue	No.	3		3	2,260	-	2,260
13	Bolts, Nuts & Washers	No.	6		6	1,808	-	1,808
14	Land - Power Line	m ²	877		877	1,511,948	-	1,511,948
15	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						5,288,256	-	5,288,256



Local Government Area: Ado

Location: Onala Area

Commission Date: 2008

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	Low Tension (LT) Wooden Pole	No.	48		48	128,304	-	128,304
2	50mm ² AAC Aluminium Conductor	m	5,760		5,760	947,117	-	947,117
3	D-Iron complete with Shackle Insulator	Set	192		192	135,302	-	135,302
4	LT Stay Assembly	Set	22		22	180,873	-	180,873
5	Land - Power Line	m ²	2,160		2,160	3,723,840	-	3,723,840
						5,115,436	-	5,115,436



Local Government Area: Ado

Location: Ifesowopo Community

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	7		7	283,500	-	283,500
2	8.53m Reinforced Concrete Pole (LT)	No.	13		13	438,750	-	438,750
3	100mm ² AAC Aluminium Conductor	m	750		750	263,250	-	263,250
4	70mm ² AAC Aluminium Conductor	m	2,340		2,340	537,030	-	537,030
5	300KVA, 11/0.415KV Transformer	No.	1		1	3,170,000	-	3,170,000
6	11KV Pot Insulator	No.	15		15	44,550	-	44,550
7	D-Iron complete with Shackle Insulator	Set	52		52	42,120	-	42,120
8	HT Stay Assembly	Set	6		6	56,700	-	56,700
9	LT Stay Assembly	Set	10		10	94,500	-	94,500
10	Galvanised Iron (G.I) Cross Arm	No.	5		5	47,250	-	47,250
11	Channel Iron	No.	3		3	28,350	-	28,350
12	Disc Insulator 11KV	No.	3		3	14,175	-	14,175
13	6-Bolts Clamp	No.	3		3	7,088	-	7,088
14	J-Hook	No.	3		3	2,430	-	2,430
15	Socket Tongue	No.	3		3	2,430	-	2,430
16	Tie Bar	No.	10		10	7,155	-	7,155
17	Bolts, Nuts & Washers	No.	24		24	7,776	-	7,776
18	Land - Power Line	m ²	1,253		1,253	2,160,172	-	2,160,172
19	Land - Transformer Sub-Station	m ²	16		16	27,584	-	27,584
						7,234,810	-	7,234,810



Local Government Area: Ado

Location: Bolorunduro

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		18	18	-	729,000	729,000
2	8.53m Reinforced Concrete Pole (LT)	No.		4	4	-	135,000	135,000
3	100mm ² AAC Aluminium Conductor	m		2,100	2,100	-	737,100	737,100
4	70mm ² AAC Aluminium Conductor	m		720	720	-	165,240	165,240
5	300KVA, 11/0.415KV Transformer	No.		1	1	-	3,170,000	3,170,000
6	Line Earthing	No.		2	2	-	40,500	40,500
7	11KV Pot Insulator	No.		36	36	-	106,920	106,920
8	D-Iron complete with Shackle Insulator	Set		1	1	-	810	810
9	HT Stay Assembly	Set		16	16	-	151,200	151,200
10	LT Stay Assembly	Set		2	2	-	18,900	18,900
11	Galvanised Iron (G.I) Cross Arm	No.		12	12	-	113,400	113,400
12	Channel Iron	No.		3	3	-	28,350	28,350
13	Disc Insulator 11KV	No.		15	15	-	70,875	70,875
14	6-Bolts Clamp	No.		15	15	-	35,438	35,438
15	J-Hook	No.		15	15	-	12,150	12,150
16	Socket Tongue	No.		15	15	-	12,150	12,150
17	Tie Bar	No.		24	24	-	17,172	17,172
18	Bolts, Nuts & Washers	No.		64	64	-	20,736	20,736
19	Land - Power Line	m ²		1,320	1,320	-	1,137,840	1,137,840
20	Land - Transformer Sub-Station	m ²		16	16	-	13,792	13,792
						-	6,716,573	6,716,573



Local Government Area: Ado

Location: Fabian/Washington Avenue Junction, Ado

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		15	15	-	607,500	607,500
2	8.53m Reinforced Concrete Pole (LT)	No.		14	14	-	472,500	472,500
3	100mm ² AAC Aluminium Conductor	m		1,500	1,500	-	526,500	526,500
4	70mm ² AAC Aluminium Conductor	m		2,520	2,520	-	578,340	578,340
5	300KVA, 11/0.415KV Transformer	No.		1	1	-	3,170,000	3,170,000
6	Line Earthing	No.		4	4	-	81,000	81,000
7	11KV Pot Insulator	No.		18	18	-	53,460	53,460
8	D-Iron complete with Shackle Insulator	Set		56	56	-	45,360	45,360
9	HT Stay Assembly	Set		14	14	-	132,300	132,300
10	LT Stay Assembly	Set		8	8	-	75,600	75,600
11	Galvanised Iron (G.I) Cross Arm	No.		6	6	-	56,700	56,700
12	Channel Iron	No.		11	11	-	103,950	103,950
13	Disc Insulator 11KV	No.		27	27	-	127,575	127,575
14	6-Bolts Clamp	No.		27	27	-	63,788	63,788
15	J-Hook	No.		27	27	-	21,870	21,870
16	Socket Tongue	No.		27	27	-	21,870	21,870
17	Tie Bar	No.		12	12	-	8,586	8,586
18	Bolts, Nuts & Washers	No.		56	56	-	18,144	18,144
19	Land - Power Line	m ²		1,695	1,695	-	1,461,090	1,461,090
20	Land - Transformer Sub-Station	m ²		16	16	-	13,792	13,792
						-	7,639,925	7,639,925



Local Government Area: Ado

Location: Peace Avenue

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		10	10	-	405,000	405,000
2	8.53m Reinforced Concrete Pole (LT)	No.		8	8	-	270,000	270,000
3	100mm ² AAC Aluminium Conductor	m		1,050	1,050	-	368,550	368,550
4	70mm ² AAC Aluminium Conductor	m		1,440	1,440	-	330,480	330,480
5	500KVA, 11/0.415KV Transformer	No.		1	1	-	4,700,000	4,700,000
6	11KV Pot Insulator	No.		18	18	-	53,460	53,460
7	D-Iron complete with Shackle Insulator	Set		48	48	-	38,880	38,880
8	HT Stay Assembly	Set		11	11	-	103,950	103,950
9	LT Stay Assembly	Set		6	6	-	56,700	56,700
10	Galvanised Iron (G.I) Cross Arm	No.		6	6	-	56,700	56,700
11	Channel Iron	No.		5	5	-	47,250	47,250
12	Disc Insulator 11KV	No.		9	9	-	42,525	42,525
13	6-Bolts Clamp	No.		9	9	-	21,263	21,263
14	J-Hook	No.		9	9	-	7,290	7,290
15	Socket Tongue	No.		9	9	-	7,290	7,290
16	Tie Bar	No.		12	12	-	8,586	8,586
17	Bolts, Nuts & Washers	No.		32	32	-	10,368	10,368
18	Land - Power Line	m ²		1,065	1,065	-	918,030	918,030
19	Land - Transformer Sub-Station	m ²		16	16	-	13,792	13,792
						-	7,460,114	7,460,114



Local Government Area: Ado

Location: Paradise Estate

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.	11		11	445,500	-	445,500
2	8.53m Reinforced Concrete Pole (LT)	No.	5		5	168,750	-	168,750
3	100mm ² AAC Aluminium Conductor	m	1,050		1,050	368,550	-	368,550
4	70mm ² AAC Aluminium Conductor	m	900		900	206,550	-	206,550
5	300KVA, 11/0.415KV Transformer	No.	1		1	3,170,000	-	3,170,000
6	Line Earthing	No.	4		4	81,000	-	81,000
7	11KV Pot Insulator	No.	15		15	44,550	-	44,550
8	D-Iron complete with Shackle Insulator	Set	20		20	16,200	-	16,200
9	HT Stay Assembly	Set	9		9	85,050	-	85,050
10	LT Stay Assembly	Set	4		4	37,800	-	37,800
11	Galvanised Iron (G.I) Cross Arm	No.	5		5	47,250	-	47,250
12	Channel Iron	No.	7		7	66,150	-	66,150
13	Disc Insulator 11KV	No.	15		15	70,875	-	70,875
14	6-Bolts Clamp	No.	15		15	35,438	-	35,438
15	J-Hook	No.	15		15	12,150	-	12,150
16	Socket Tongue	No.	15		15	12,150	-	12,150
17	Tie Bar	No.	10		10	7,155	-	7,155
18	Bolts, Nuts & Washers	No.	36		36	11,664	-	11,664
19	Land - Power Line	m ²	863		863	743,906	-	743,906
20	Land - Transformer Sub-Station	m ²	16		16	13,792	-	13,792
						5,644,480	-	5,644,480



Local Government Area: Ado

Location: Methodist Primary School

Commission Date: 2011

S/N	Description	Unit	Quantity			Depreciated Replacement Cost		
			LG	State	Total	LG	State	Total
1	10.35m Reinforced Concrete Pole (HT)	No.		3	3	-	121,500	121,500
2	8.53m Reinforced Concrete Pole (LT)	No.		9	9	-	303,750	303,750
3	100mm ² AAC Aluminium Conductor	m		150	150	-	52,650	52,650
4	70mm ² AAC Aluminium Conductor	m		1,620	1,620	-	371,790	371,790
5	300KVA, 11/0.415KV Transformer	No.		1	1	-	3,170,000	3,170,000
6	Line Earthing	No.		1	1	-	20,250	20,250
7	11KV Pot Insulator	No.		3	3	-	8,910	8,910
8	D-Iron complete with Shackle Insulator	Set		36	36	-	29,160	29,160
9	HT Stay Assembly	Set		5	5	-	47,250	47,250
10	LT Stay Assembly	Set		8	8	-	75,600	75,600
11	Galvanised Iron (G.I) Cross Arm	No.		1	1	-	9,450	9,450
12	Channel Iron	No.		3	3	-	28,350	28,350
13	Disc Insulator 11KV	No.		3	3	-	14,175	14,175
14	6-Bolts Clamp	No.		3	3	-	7,088	7,088
15	J-Hook	No.		3	3	-	2,430	2,430
16	Socket Tongue	No.		3	3	-	2,430	2,430
17	Tie Bar	No.		2	2	-	1,431	1,431
18	Bolts, Nuts & Washers	No.		8	8	-	2,592	2,592
19	Land - Power Line	m ²		2,655	2,655	-	6,637,500	6,637,500
20	Land - Transformer Sub-Station	m ²		16	16	-	40,000	40,000
						-	10,946,306	10,946,306